

CONTENTS

Why Choose Marshalls?	4-5
Marshalls Register Of Installers	6-7
Step By Step To Your Dream	8-9
Paving & Accessories	10-79
Walling & Accessories	80-107
Driveways & Accessories	108-175
Technical Information	176-177
Order Select	178
Acknowledgements	179


Front Cover: Garden designed and installed by Botanica Garden Design, Wirral











Creating better spaces

At Marshalls, we're dedicated to creating better spaces

Spaces that people can't help but spend time in. Spaces that people love. That means helping you create the home that you've always dreamed of with our collection of domestic products.

We provide the finest products in a variety of beautiful styles to create driveways, patios and gardens that will give you a real burst of pride every time you see them.

This brochure has been designed to help inspire and excite you about the possibilities Marshalls can offer, and with such a wide selection of finishes, textures and tones, you're sure to find the look you want for your perfect home project.
















Made in Britain supports British manufacturers with the Made in Britain marque, helping buyers at home and abroad identify and choose British-made goods. The not-for-profit campaign is bringing together all British manufacturers to champion skills, craftsmanship and innovation.

Find out more: – www.madeingb.org @MadeinBritainGB #madeinbritainhour



As the UK's leading hard landscaping manufacturer, Marshalls has been creating better spaces since the 1800s. Over this time, it has become synonymous with quality and excellence. Which is why it has been chosen for prestigious landmarks such as Trafalgar Square.











Indian sandstone has become popular in the UK in recent years, and at its best its reputation for strength and beauty is justified. However, not all natural stone is equal, and many of the cheaper sandstones available in the UK are soft and porous, making them weak and prone to algae, lichen growth or to cracking and unable to withstand our harsh British frosts.

All Marshalls sandstone however, is tested and has exceeded the British Standard. The Marshalls Stone Standard sets minimum criteria to which ALL our stone performs.

Marshalls sandstones have low water absorption and high flexural strength that can deliver our promise to be completely frost resistant.* Any sandstone that does not meet the Marshalls Stone Standard may not be fit for purpose. So don't take a chance by choosing or installing an inferior product that won't stand the test of time, and our British weather.

*All Marshalls natural stone is CE marked and tested in accordance with BS EN 1341. Declarations of Performance are available at www.marshalls.co.uk/DOP













Laying down the standard


The Marshalls Register has been in existence for over 15 years, and is the UK's only fully vetted, nationally accredited landscape contractor scheme. It was created to ensure that all customers buying Marshalls products enjoy peace of mind, together with a guaranteed high quality end result.

Although not employed by Marshalls, each of these independent installers agrees to abide by our rigorous installation guidelines. They are all regularly assessed by our network of regional assessors in order to ensure standards are maintained at optimum levels.

After all your planning, investment and time, finding the right installer is essential, as you will rely on their advice, product knowledge and workmanship to achieve the desired end result.

Only Marshalls Register members can provide the Marshalls Hard Landscape Guarantee, providing a 10 year guarantee on product and 5 years on workmanship.

To find your local Register member please visit www.marshalls.co.uk/findaninstaller









Designed & Installed by Botanica Garden Design, Wirral

The most frequently asked question for any hard landscaping project is always 'How much will it cost?'

The majority of installation costs are usually incurred for ground preparation and labour, so it's worth noting that opting for a premium quality paving won't significantly increase the overall cost. Choose the best you can afford!

A guide product price band is shown on each page

£££

££

£

PREMIUM

MID RANGE

STANDARD

Our installers can and do provide great advice on how to turn your existing space into something special...

...here's what some of you said about their results:

'Our experience was nothing short of 100% satisfaction... we now have the garden that we have always dreamed of having.' - K Wynne, Peebles

'I am delighted with the result and keep having compliments from passers by.' - S Hodges, Blackheath

'Our driveway looks great and I couldn't be happier. It comes down to good quality materials and installer.' - C Lumsden, Motherwell

'They worked with me on the design, provided expert and informed guidance, and delivered above expectations.' - G Masterson, Renfrewshire

With comments like this it is no wonder that 99% of all customers who have used a Register member would recommend them to a friend*





Before









Before




Brockstone Landscape Construction, Liverpool

Designed & Installed by









Step 1

Find your

This brochure is a great place to start; our products are grouped into different styles so you can choose the one that best suits your taste.

To find your style, turn to pages 14 -15 for paving or 112-113 for driveways

Step 2

Speak to an Installer

They will manage your project from start to finish, providing advice on design, features, products and drainage.

To find

your local

accredited

please visit

marshalls.

co.uk/installers

installer,

Obtain more than one quote, ensure they quote on the same scope of works, and ask to see their most recent Marshalls assessment.

Step 3

Choose you products

Marshalls uses only the finest products in a great range of colours, textures and styles.

Your installer will work with you to select the best products for your project

The best installers get booked up quickly, so book in good time – especially around the busy summer months. Choose the installer who best understands your requirements.

Step 4

Cheapest is not always best. Remember to ask for your Marshalls Hard Landscape Guarantee*

Marshalls recommends you book your project at least three months in advance

Sit back and relax, safe in the knowledge that your fantastic new project is guaranteed for 10 years, should anything go wrong.*

Step 5









*Marshalls Hard Landscape Guarantee is purchased separately and only available through your Accredited Marshalls Register Installer.









Paving & Accessories








So why is the sub-base so important?

Think about your house itself. It must be built on sound foundations to last, and the same is true for your patio. In order to ensure that the finished project will retain its long-lasting good looks, the appropriate sub-base must be installed correctly.

The sub-base is typically a layer of compacted stone aggregate, laid on the subgrade (earth) that will support the paving products you have chosen to install. It is the main load bearing layer for your patio or hard landscaping, and its role is to spread this load and support the products evenly over the subgrade.

Illustrated here is a typical example of how your sub-base will be made up. The actual products and depths selected will change dependent upon the products you have selected for installation. The products are installed on a good quality full mortar bed, or sand where the installation instructions allow.

Details of each sub-base type can be obtained from the Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk



Incorrect sub-base installation: the potential pitfalls

Where the sub-base is installed wrongly or is insufficient to support the chosen paving products, the consequences are significant.



Spot bedding giving poor support



Poor bedding layer



Spot bed pulled through the product

Choose a Marshalls Register Installer

Marshalls Register members are assessed on a regular basis to ensure they install our products correctly, giving you your dream patio which will enhance your property into the future. That's why 99% of people who use a Register member would recommend them to a friend.*

To find your local member please visit www.marshalls.co.uk/findaninstaller



*Data analysis from Customer Feedback Forms, includes the period up to and including September 2016.





Contemporary Paving



Traditional Paving



Family Friendly Paving



King Size K

Jumbo J


Contemporary Paving

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your paving products using this useful colour chart grouped by colour tone and texture.
















Contemporary Paving

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your paving products using this useful colour chart grouped by colour tone and texture.
















Unique contemporary garden paving


Extravagantly sized paving designed to create an impact in any contemporary garden setting. Hand selected for a consistent colour blend, this ethically sourced quartzitic Indian sandstone offers a technically superior performance. The precision sawn edges of the paving create a clean, sharp finish, with the smooth but finely grained surface providing excellent non-slip characteristics. Co-ordinates perfectly with other Sawn Versuro products.











Must be installed by professionals with correct lifting equipment




- 1: SAWN VERSURO JUMBO KING SIZE, Caramel Cream Multi (CCM)
- 2: SAWN VERSURO JUMBO KING SIZE, Autumn Bronze Multi (ABM)
- 3: SAWN VERSURO JUMBO KING SIZE, Antique Silver Multi (ASM)
- 4: SAWN VERSURO JUMBO KING SIZE,

Golden Sand Multi (GSM) Main image: SAWN VERSURO JUMBO KING SIZE Paving, Golden Sand Multi (GSM)

Designed and installed by Botanica Garden Design, Wirral This product comes with specific installation guidelines. Please contact our Technical Advisory

Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



Impressive Indian sandstone


Beautiful large plan size paving that looks impressive in any garden design scheme. Technically superior sandstone, hand selected only from ethical sources for consistent colour and quality, to keep your patio looking better for longer. The sawn edges of the paving have a clean, contemporary look, with the surface lightly textured for non-slip practicality. Co-ordinates perfectly with Sawn Versuro products.











Must be installed by professionals with correct lifting equipment




- 1: SAWN VERSURO KING SIZE, Caramel Cream Multi (CCM)
- 2: SAWN VERSURO KING SIZE, Autumn Bronze Multi (ABM)
- 3: SAWN VERSURO KING SIZE, Antique Silver Multi (ASM)
- 4: SAWN VERSURO KING SIZE, Golden Sand Multi (GSM)

Main image: SAWN VERSURO KING SIZE, Golden Sand Multi (GSM)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website





Aspirational looks and practical performance


Carefully hand selected from the finest Indian sandstone to blend with Britain's homes and gardens. Ethically sourced Sawn Versuro combines aspirational looks and performance with durability and elegance. Available in four subtle colour blends to suit even the most sophisticated scheme and intrinsically practical with a lightly textured surface and non-slip properties.
















- 1: SAWN VERSURO, Caramel Cream Multi (CCM)
- 2: SAWN VERSURO, Autumn Bronze Multi (ABM)
- 3: SAWN VERSURO, Antique Silver Multi (ASM)
- 4: SAWN VERSURO, Golden Sand Multi (GSM)

Main image: SAWN VERSURO, Antique Silver Multi (ASM) and DRIVEWAY SETTS, Silver Birch (SB) Designed and installed by PWP Landscapes Ltd, Otley

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see p106-107 or website



A striking approach for patios and pathways

Create unique and beautiful designs and striking edging detail with Sawn Versuro Linear. This ethically sourced quartzitic Indian sandstone in linear form offers the ability to design distinctive patio or pathway patterns.

Linear Paving	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
Full Packs	845 x 140 x 22	100	8.5	11.8	CCM ABM ASM GSM	✓





- 1: SAWN VERSURO LINEAR, Caramel Cream Multi (CCM)
- 2: SAWN VERSURO LINEAR, Autumn Bronze Multi (ABM)
- 3: SAWN VERSURO LINEAR, Antique Silver Multi (ASM)
- 4: SAWN VERSURO LINEAR, Golden Sand Multi (GSM)

Main image: SAWN VERSURO LINEAR, Golden Sand Multi (GSM). Edged with SAWN SANDSTONE SETTS, Autumn Bronze Multi (ABM) Designed and Installed by Beesleys Landscapes

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website




















Subtle and strong natural sandstone

This quality natural sandstone is hand-flamed to enhance the colours found naturally within the stone which, in turn, provides a unique and distinct character. Sawn from exceptionally dense sandstone to ensure durability and lasting good looks. Available in two selected colour shades with a lightly textured surface for non-slip practicality.

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
	775 x 450 x 22	12	2.9			
13.5m ²	675 x 405 x 22	12	3.3	13.50	ABM	√ *
Project Pack	575 x 450 x 22	12	3.9	13.30	SBM	, ,
	475 x 450 x 22	12	4.7			

^{*} For Order Select details on Project Packs see p178





1: FLAMED NARIAS, Autumn Bronze Multi (ABM)


2: FLAMED NARIAS, Silver Birch Multi (SBM)

Main image: FLAMED NARIAS Paving, Autumn Bronze Multi (ABM) Secondary image: FLAMED NARIAS, Silver Birch Multi (SBM)


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website









Luxurious and contemporary Brazilian slate

A beautiful larger format, high quality slate from Brazil which imparts a luxurious contemporary look. This naturally clean splitting slate has a very gentle riven surface texture and is hand selected for colour consistency. Three large sizes can be laid in a random or regular pattern for an ultra modern look.

		Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select*
		800 x 800 x 20	25	1.6	16.0		
	Full Packs	800 x 395 x 20	50	3.2	15.8	SG B	✓
		395 x 395 x 20	100	6.4	15.6		
	17.8m² Project Pack	600 x 600 x 20	24*	2.8			√ *
		600 x 295 x 20	35*	5.6	17.79	В	
		295 x 295 x 20	34*	11.5			

^{*} For Order Select details on Project Packs see p178

- 1: CASARTA SLATE, Silver Grey (SG)
- 2: CASARTA SLATE, Black (B)

Main image: CASARTA SLATE, Silver Grey (SG), SAWN VERSURO WALLING, Silver Multi (SM), Coping is SAWN VERSURO Paving, Antique Silver Multi (ASM) Designed and Installed by All Seasons Landscapes, Stockton-on-Tees

Secondary image: CASARTA SLATE, Silver Grey (SG). Edged with NATURAL STONE SETTS, Silver Birch (SB)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website








f

@



Timeless elegance in iconic marble

This luxurious marble paving adds a timeless beauty to properties of any style, with delicate veining and white mottling adding to the charm of this iconic stone. A sawn and gently tumbled finish promotes a subtle non-slip finish, why not indulge your home with some of this beautiful classic stone.

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order select
	400 × 700 × 30	14	3.6			
12.3m ²	400 × 600 × 30	14	4.2	12.32	Р	√ *
Project Pack	400 × 500 × 30	14	5.0	12.32	SH	, ,
	400 × 400 × 30	14	6.3			

^{*} For Order Select details on Project Packs see p178



1: LAZARO MARBLE, Pearl (P)


2: LAZARO MARBLE, Shell (SH)

Main image: LAZARO MARBLE, Shell (SH). Edged with FLAMED NARIAS Paving, Silver Birch Multi (SBM), Designed & Installed by Perfect Paving, Keston

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website $www. marshalls. co. uk\ prior\ to\ installation.$

For more product notes see p106-107 or website





Elegant and versatile hand split slate

The versatility, durability and bold colour of Natural Slate make it an extremely popular choice to fit both traditional and contemporary settings. This high quality, ethically sourced hand split slate with its unique Midnight Blue hue offers an excellent and economic alternative to British slate.

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
	600 x 600 x 20	40	2.78	14.4		
Full Packs	600 x 295 x 20	80	5.6	14.2	MB	✓
	295 x 295 x 20	100	11.5	8.7		
14.9m ²	600 x 600 x 20	24	2.8			
Project	600 x 295 x 20	24	5.6	14.9	MB	
Pack	295 x 295 x 20	24	11.5			



1: NATURAL SLATE, Midnight Blue (MB)

Main image: NATURAL SLATE, Midnight Blue (MB). Water feature clad in STONEFACE VENEER DRYSTACK Walling, Copper Slate (CS) Designed and Installed by Genesis Construction & Landscaping, Bury St Edmunds


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website














Contemporary looks and stylish finish

Create a truly bespoke look with Granite Eclipse paving, a modern and stylish patio product with a lightly flamed surface texture offering excellent non-slip properties. This fine surfaced granite guarantees precision, durability and consistent good looks. Available in a range of complementary, contemporary colours and sizes to create a stylish garden. Co-ordinating granite steps, and driveway setts are also available.

Full Packs 1206 x 600 x 30* 16		Sizes mm (nominal)	No. items/ pack	No. /m²	m²/ pack	Colours	Order Select
Full Packs		1206 x 600 x 30*	16	1.4	11.58		
Full Packs		800 x 200 x 25	30	6.3	4.8	FI	
Packs 600 x 600 x 25 50 2.8 18.0 GR EE 600 x 297 x 25 100 5.6 17.8 EE 297 x 297 x 25 100 11.3 8.8 17.9m² Project 600 x 600 x 25 24 2.8 EL 600 x 297 x 25 35 5.6 17.88 ED GR ✓**	Full	903 x 600 x 25	25	1.8	13.55	ED GR	1
600 x 297 x 25 100 5.6 17.8 297 x 297 x 25 100 11.3 8.8 17.9m² Project Pock Pock Pock Pock Pock Pock Pock Pock		600 x 600 x 25	50	2.8	18.0		
17.9m² 600 x 600 x 25 24 2.8 EL ED FD		600 x 297 x 25	100	5.6	17.8	LE.	
17.9m² Project Pock		297 x 297 x 25	100	11.3	8.8		
Project 600 x 297 x 25 35 5.6 17.88 GR		600 x 600 x 25	24	2.8			
Pack		600 x 297 x 25	35	5.6	1 1/88 1		√ **
	Pack	297 x 297 x 25	34	11.3			

^{*} Larger sizes should be installed by professionals with correct lifting equipment

1: GRANITE ECLIPSE, Light (EL)

2: GRANITE ECLIPSE, Dark (ED)

3: GRANITE ECLIPSE, Graphite (GR)

4: GRANITE ECLIPSE, Ember (EE)

Main Image: GRANITE ECLIPSE, Light (EL) Paving. Edged with GRANITE ECLIPSE, Dark (ED) Designed and installed by McPave North West, Preston Secondary Image: GRANITE ECLIPSE, Light (EL), Feature bands of GRANITE ECLIPSE, Dark (ED). Walling & Coping in ARGENT WALLING, Light (LT) Designed and installed by

Habitat Landscapes Ltd, Bedford

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website

www.marshalls.co.uk prior to installation. For more product notes see p106-107 or website





^{**} For Order Select details on Project Packs see p178







Contemporary colours and natural styling

Inspired by nature and the great outdoors, this paving is available in a subtle contemporary colour palette ranging from light to dark cream, with a rich natural tone. An attractively riven surface finish designed to complement modern landscaping design.


	Sizes mm (nominal)	Quantity (per pack)	m²/pack (per pack)	Colours	Order Select
Single Size Pack	600 x 600 x 35 450 x 450 x 35	30 60	10.8 12.2	C HES LIN	~

- 1: ORGANA, Cotton (C)
- 2: ORGANA, Hessian (HES)
- 3: ORGANA, Linen (LIN)

Main image: ORGANA Paving, Linen (LIN). Secondary Image: ORGANA Paving, Cotton (C), edged with GRANITE ECLIPSE Planks, Dark (DK). DRIVELINE DRAIN Charcoal (CH)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website









Distinctive terrazzo effect

Softly textured yet hardwearing paving with distinctive exposed aggregates, available in three attractive and natural shades. Provides a lightly polished terrazzo look exposing the embedded stone, offering excellent anti slip performance.

CO₂/M² MID RANGE BRITA

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
	450 x 600 x 35	30	3.7	8.1	Р	
Paving	450 x 450 x 35	60	4.9	12.15	S	✓
	450 x 300 x 35	60	7.4	8.1	0	



- 1: WILDWOOD Paving, Pine (P)
- 2: WILDWOOD Paving, Sycamore (S)
- 3: WILDWOOD Paving, Oak (O)

Main image: WILDWOOD Paving, Pine (P). Edging DRIVESETT TEGULA, Pennant Grey (PG). DECORATIVE AGGREGATE, Spanish White Pebbles Designed and Installed by NW Paving & Landscaping Ltd., Cumbria

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website











Why not see our full range of interior Porcelain, Natural Stone and Mosaic tiles at www.marshalls.co.uk/tile-and-stone or call 0345 308 3030 for a copy of our latest brochure.



f

@







Contemporary design meets superb performance

High fidelity production provides all the advantages of a low maintenance paving with eye-catching elegance and contemporary designs that feature authentic patterns and textures. The vitrified process ensures reduced water absorption, less staining and easy cleaning underpinned with tough long lasting performance.

	Vitrified Paving	Sizes mm (nominal)	Quantity	m²/pack	Colours	Order Select
	Single	595 x 595 x 20	64	23.04	SI SE SBW SBL SC SBK	
	Size	395 x 795 x 20	48	15.36	SBK	✓
	Pack	595 x 1192 x 20	26	18.72	SI SE SBW SBL SC	
	Project Pa	cks				
		395 x 395 x 20	15			
	Beta	395 x 795 x 20	15	16.16	SBK	
_		795 x 795 x 20	14			
		295 x 295 x 20	19			
	Ciamo	295 x 595 x 20	9	16.89	SLSE SBW SBL SC	
	Sigma	595 x 595 x 20	18	10.09	21 2E 2DVV 2DL 2C	
		595 x 895 x 20	13			

To simplify installation, the correct amount of jointing compound is provided on all full pack

- 1: SYMPHONY, Ivory (SI)
- 2: SYMPHONY, Ecru (SE)
- 3: SYMPHONY, Blauw (SBW)
- 4: SYMPHONY, Blue (SBL)
- 5: SYMPHONY, Copper (SC)
- 6: SYMPHONY, Black (SBK)

Main image: SYMPHONY, Blue (SBL) Paving. Feature band and walls clad with SAWN VERSURO LINEAR Paving, Coping is SAWN VERSURO BULLNOSE STEPS, all Antique Silver Multi (ASM) Designed and installed by Branching Out Landscapes, Rochdale Secondary image: SYMPHONY, Ivory (SI) Paving


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see p106-107 or website



f

@







Elegance and ease of maintenance

High fidelity production provides all the advantages of a low maintenance paving with eye-catching elegance and contemporary designs that feature authentic patterns and textures. The vitrified process ensures reduced water absorption, less staining and easy cleaning underpinned with tough long lasting performance.

	Size	395 x 795 x 20
	Pack	1192 x 595 x 20
	Project Pac	ks
		395 x 395 x 20
	Beta	395 x 795 x 20
		795 x 795 x 20
		395 x 195 x 20
	Delta	395 x 395 x 20
	Della	395 x 595 x 20
		395 x 795 x 20

Vitrified

Paving

Single

Sizes mm

(nominal)

595 x 595 x 20

	395 x 795 x 20	22			
	lation, the correct am	ount of jointir	ng compound	l is provided o	n all full pack
l £ C l-					

Quantity m²/pack

64

48

26

15

15

14

12

18

22

23.04

15.36

18.72

16.16

16.16

- 1: SYMPHONY, Barley (SBY)
- 2: SYMPHONY, Buff (SB)

Order

Select

Colours

SBY SB SG SR SBT SD

SBY SB SG SR SD

SBT

SBT SB SR SG

SBY SD

- 3: SYMPHONY, Grey (SG)
- 4: SYMPHONY, Rustic (SR)
- 5: SYMPHONY, Basalt (SBT)
- 6: SYMPHONY, Dark (SD)

Main Image: SYMPHONY, Buff (SB) Paving, shaped on site, feature edging DRIVESETT TEGULA, Hazelnut (HA). Designed and installed by Stow Construction & Landscaping Ltd. Galashiels


Secondary Image: SYMPHONY, Rustic (SR) Paving, Edged with ECLIPSE GRANITE, Graphite (GR). Designed and installed by Valley Driveways Ltd. Blackburn

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website









Natural aesthetics and practical performance

All the aesthetic benefits of wood planking with none of the associated performance issues, Symphony plank paving will not warp, rot or splinter. Excellent anti-slip performance, and reduced opportunities for moss and algae growth offer a long lasting, attractive and natural looking solution.

Vitrified Paving	Sizes mm (nominal)		m²/pack (per pack)	Colours	Order Select
Single Size Pack	295 x 1192 x 20	48	17.28	SBI SCH SCA	✓

To simplify installation, the correct amount of jointing compound is provided on all full pack orders of Symphony products




- 1: SYMPHONY, Birch (SBI)
- 2: SYMPHONY, Cherry (SCH)
- 3: SYMPHONY, Char (SCA)


Main image: SYMPHONY, Birch (SBI) Plank Paving, including step tread and risers
Designed and Installed by Mark S Nelson,
Worcester Park

Secondary Image: SYMPHONY, Cherry (SCH) Plank Paving as feature edging and step treads surrounding SYMPHONY, Barley (SBY) Paving Designed and installed by Exotic Landscapes Ltd, Bracknell

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.









Ultimate contemporary chic and sophistication

The ultimate in contemporary chic, Argent paving brings together an attractive blend of high quality British granite aggregates to create a smart, sophisticated and modern finish. Ideal for creating a host of geometric patio patterns, with a full range of co-ordinating hard landscaping products for the perfect finish.

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
Smooth	400 x 400 x 38	60	6.3	9.6		
Coarse	400 x 400 x 38	60	6.3	9.6	LT	,
Smooth	600 x 600 x 38	25	2.8	9.0	DK	•
Coarse	600 x 600 x 38	25	2.8	9.0		





2: ARGENT, Coarse Light (LT)

3: ARGENT, Smooth Dark (DK)

4: ARGENT, Coarse Dark (DK)

Main image: ARGENT Paving, Smooth Dark (DK) and Smooth Light (LT). MARSHALITE Walling, Rustic Ash Multi (AM)


Designed and Installed by Darren Smith Award Winning Driveways & Patios, Louth

Secondary Image: ARGENT Paving, Smooth Light (LT) and ARGENT, Smooth Dark (DK)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website









Crafted and hand finished elegance

A truly professional addition to any project is sawn stone steps, featuring a beautifully hand finished bullnosed edge profile. Available in all sawn sandstone colours, granite, marble and Casarta Slate, all available as complete step kits and additional centre pieces, the steps co-ordinate perfectly with their equivalent stone range, providing crafted elegance for any project.



	Sizes mm (nominal)	No. items/ pack	Colours	Order Select		
10 Step Kit						
Centre Stone	560 x 350 x 50 ⁺	10	CCM GSM ABM ASM	/ *		
Corner Radius	350 x 350 x 50 ⁺	20	P S SG [†] B [†] EL ED GR EE			
Centre Stone Pac	:k					
Centre Stone	560 x 350 x 50 [†]	30	CCM GSM ABM ASM P S SG [†] B [†] EL ED GR EE	/ **		

- * Order Select is supplied in Single Step Kits
- (A Single Step Kit comprises; $1 \times Centre$ Stone and $2 \times Corner$ Radius) ** Centre stones are also available as Order Select as well as step kits
- † Casarta Slate steps are 40mm thick

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



1: SAWN VERSURO BULLNOSE STEPS, Caramel Cream Multi (CCM)

9 NEW

- 2: SAWN VERSURO BULLNOSE STEPS, Golden Sand Multi (GSM)
- 3: SAWN VERSURO BULLNOSE STEPS, Autumn Bronze Multi (ABM)
- 4: SAWN VERSURO BULLNOSE STEPS,
- Antique Silver Multi (ASM)
- 5: LAZARO MARBLE BULLNOSE STEPS, Pearl (P)
- 6: LAZARO MARBLE BULLNOSE STEPS, Shell (S)
- 7: CASARTA SLATE BULLNOSE STEPS, Silver Grey (SG)[†] 8: CASARTA SLATE BULLNOSE STEPS, Black (B)[†]
- 9: GRANITE ECLIPSE BULLNOSE STEPS, Light (EL)
- 10: GRANITE ECLIPSE BULLNOSE STEPS, LIGHT (EL)
- 11: GRANITE ECLIPSE BULLNOSE STEPS, Graphite (GR)
- 12: GRANITE ECLIPSE BULLNOSE STEPS, Ember (EE)

Main image: SAWN VERSURO BULLNOSE STEPS, Caramel Cream Multi (CCM), with SAWN VERSURO Paving, Caramel Cream Multi (CCM) and GRANITE ECLIPSE, Dark (ED) Banding. With STONEFACE SAWN VENEER Walling, Caramel Cream Multi (CCM) Designed and installed by Brighouse Driveways Ltd, Brighouse Secondary image: GRANITE ECLIPSE BULLNOSE STEPS, Dark (ED) with STONEFACE VENEER WALLING, Drystack, Copper Slate (CS)





Add the finishing touch

Transform and complete any garden or driveway with elegant stone borders for a chic, modern look. Available in sawn finish, these ethically sourced sandstone products are carefully selected for colour accuracy and precision sawn for a clean, sleek finish.

	Sizes mm (nominal)	No. items/ pack	Colours	Order Select
Sawn Border	845 x 150 x 50	20	CCM ABM ASM GSM	✓




- 1: SAWN VERSURO BORDERS, Caramel Cream Multi (CCM)
- 2: SAWN VERSURO BORDERS, Autumn Bronze Multi (ABM)
- 3: SAWN VERSURO BORDERS,
- Antique Silver Multi (ASM)
- 4: SAWN VERSURO BORDERS, Golden Sand Multi (GSM)

Main image: SAWN VERSURO BORDERS, Caramel Cream Multi (CCM). Driveway in DRIVESYS SPLIT STONE, Basalt (B) Designed and installed by Tottington Landscaping Co, Heywood, Lancs

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



The perfect paving complement

Available in four attractive and versatile colours and designed to complement a wide range of both natural stone and concrete paving, Hewnstone Edging is moulded from original flame treated stone and features a softly rounded top and lightly textured face for a perfect finishing touch.

	Sizes mm (nominal)	No. items/ pack	Colours	Order Select
Edging	200 x 450 x 50	20	A DB S LB	✓



- 1: HEWNSTONE EDGING, Autumn (A)
- 2: HEWNSTONE EDGING, Dark Buff (DB)
- 3: HEWNSTONE EDGING, Slate (S)
- 4: HEWNSTONE EDGING, Light Buff (LB)

Main image: HEWNSTONE EDGING, Dark Buff, (DB) with FIREDSTONE Paving, Fired York (FY)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.













Traditional Paving

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your paving products using this useful colour chart grouped by colour tone and texture.













Traditional and iconic British Yorkstone

Stunning premium British Yorkstone which features in many iconic and prestigious locations across the UK, including Trafalgar Square. Scoutmoor is predominantly blue/grey in colour with sweeping variable brown bands and is available in two finishes; smooth contemporary Diamond Sawn or Rustic, with a lightly flamed surface texture for a more traditional reclaimed stone look.

		Sizes mm (nominal)	Length mm	Linear metres per size		Weight (kg/pack)	m²/ pack	Colours	Order Select
	600 RL** x 20			9					
	18m²	400 RL** x 20	300-900	15	6	954	18*	DS R	√ ***
	Project Pack*	200 RL** x 20	300-900	15	3	954			Ť

*Project Pack contains a minimum of $18m^2$ made up from random length pieces (300-900mm) x width.

1: SCOUTMOOR, Diamond Sawn (DS)

2: SCOUTMOOR, Rustic (R)

Main image: SCOUTMOOR, Diamond Sawn (DS) Secondary image: SCOUTMOOR, Diamond Sawn (DS)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see p106-107 or website











^{**} RL is abbreviation for Random Length


^{***} For Order Select details see page 178

P



Stunning naturally split sandstone paving

Superior quality, ethically sourced natural sandstone. This naturally split stone provides a beautiful riven surface adding texture and character to your patio. Available in three subtle shades hand selected for colour purity and consistency, with tapered hand finished edges. Co-ordinating circle kits in the same stone are an additional feature offered.






- 1: RIVEN HARENA, Golden Sand Multi (GSM)
- 2: RIVEN HARENA, Autumn Bronze Multi (ABM)
- 3: RIVEN HARENA, Silver Birch Multi (SBM)

Main image: RIVEN HARENA Paving, Golden Sand Multi (GSM)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



Perfect coordination adds flair and originality

Hand selected from the same quartzitic sandstone with the same riven surface as Harena Paving ensuring perfect blending.

	No. item/pack	Weight (kg/pack)	Colours
2 Ring Circle Pack (Centre Stone, 1st Ring, 2nd Ring)	25	270	GSM ABM
2 Ring Squaring-off Kit	16	260	SBM



- 1: RIVEN HARENA CIRCLE, Golden Sand Multi (GSM)
- 2: RIVEN HARENA CIRCLE,
- Autumn Bronze Multi (ABM)
- 3: RIVEN HARENA CIRCLE, Silver Birch Multi (SBM)

Main image: RIVEN HARENA CIRCLE, Golden Sand Multi (GSM) within RIVEN HARENA Paving, Golden Sand Multi (GSM) Designed and Installed by Crystalclear, Bolton

This product comes with specific installation


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.














Beautiful aged finish with character and presence

Antique premium quality stone with rich and natural colours, designed to add character and presence to any garden. This ethically sourced natural stone is specially processed to achieve a subtly distressed finish with soft, timeworn edges. Carefully hand selected for consistency of natural colour.







	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
	845 x 560 x 22	4	2.1			
	702 x 560 x 22	6	2.5		ABM SBM GSM SLM	
A 41	560 x 560 x 22	8	3.2			
Antique 15.5m2	560 x 417 x 22	6	4.3	15.53		√ *
Project Pack	560 x 275 x 22	12	6.5	15.55		•
Tuck	417 x 417 x 22	16	5.8			
	417 x 275 x 22	16	8.7			
	275 x 275 x 22	12	13.2			

* For Order Select details on Project Packs see page 178

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website

1:	ANTIQUE ALVERNO,	
	Autumn Bronze Multi	(Δ


- Autumn Bronze Multi (ABM)
 2: ANTIQUE ALVERNO,
 Silver Birch Multi (SBM)
- 3: ANTIQUE ALVERNO, Golden Sand Multi (GSM)
- 4: ANTIQUE ALVERNO,
 Silver Limestone Multi (SLM)


Main image: ANTIQUE ALVERNO Paving, Silver Birch Multi (SBM). Edged with DRIVESETT TEGULA, Pennant Grey (PG). Walling surround is OLD MILL BRICK, Sunset (SUN)

Designed and Installed by Jason Clarke Classic Paving,

Secondary image: ANTIQUE ALVERNO Paving, Silver Limestone Multi (SLM)









Stunning natural textured limestone

The beautiful, natural texture of ethically sourced Limestone Aluri creates a truly unique finish in any setting. The inherent characteristics and veining in Limestone Aluri creates stunning individual character. Available in three striking colourways, with Rustic Ochre Multi and Charcoal offering a lighter, riven surface texture and Sapphire Storm providing a prestigious sawn and tumbled finish.



	Sizes mm (nominal)	No. items/ pack	No./ m²	m²/ pack	Colours	Order Select
	845 x 560 x 22	35	2.1	16.56		
Full	560 x 560 x 22	60	3.2	18.82	CL	
Packs	560 x 275x 22	120	6.5	18.48	CL	•
	275 x 275 x 22	items/ No.7 m²/ pack x 560 x 22				
	845 x 560 x 22/25*	9	2.1			
11.3m ²	560 x 560 x 22/25*	8	3.2		ROM	
Project	560 x 417 x 22/25*	10	4.3	11.25	SS	✓ **
Pack	560 x 275 x 22/25*	10	6.5		CL	
	275 x 275 x 22/25*	8	13.2			

- Please note, Charcoal Limestone is calibrated to 22mm thickness and Sapphire Storm and Rustic Ochre Multi are calibrated to 25mm
 For Order Select details on Project Packs see p178

- 1: LIMESTONE ALURI, Rustic Ochre Multi (ROM)
- 2: LIMESTONE ALURI, Sapphire Storm (SS)
- 3: LIMESTONE ALURI, Charcoal (CL)

Main Image: LIMESTONE ALURI Paving, Rustic Ochre Multi (ROM). Designed and Installed by


PJB Groundworks Ltd. Darlington Secondary Image: LIMESTONE ALURI Paving, Sapphire Storm (SS). Edged with DRIVESETT KERB, Pennant Grey (PG), NATURAL STONE SETTS Sawn

& Tumbled, Silver Birch (SB)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website










Stylish low maintenance indoor and outdoor choice

This high-end stylish paving exhibits class leading strength and technical prowess beneath its elegant designs. Arrento vitrified paving is exceedingly practical requiring minimal maintenance as it absorbs little or no moisture, offering few opportunities for moss and algae growth. Ideal in a variety of settings, Arrento is available in a range of desirable colours.

Vitrified Paving	Sizes mm (nominal)	Quantity	m²/pack	Colours	Order Select
Single Size Pack	595 x 595 x 20	64	23.04	CM BG BZ SV GR BK	





2: ARRENTO, Beige (BG)

3: ARRENTO, Bronze (BZ)

4: ARRENTO, Silver (SV)

5: ARRENTO, Grey (GR)


6: ARRENTO, Black (BK)

Main Image: ARRENTO, Silver (SV) Paving Secondary Image: ARRENTO, Beige (BG), Edged with SAWN VERSURO BULLNOSE STEP Edging, Golden Sand Multi (GSM).

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website









A natural stone look for every garden space

Recreating the ever popular appeal of traditional British riven sandstone, the patented Pavesys Heritage engineered system is designed to complement and enhance any garden space. Creating a natural stone look with realistic stone tones and available in three vibrant colours, Pavesys is quick and easy to install and creates a practical and realistic finish.



	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
	600 x 600 x 38	22	2.7	7.92		
Single Size	600 x 300 x 38	44	5.5	7.92	YB WG	_
Pack	300 x 300 x 38	44	11.1	3.96	GG	•
	450 x 450 x 38	44	4.9	8.91		
5m² Project	600 x 600 x 38	8			YB WG GG	
	600 x 300 x 38	10	N/A	5		
Pack	300 x 300 x 38	4				
2 Ring Circle Kit	2440	25			YB WG GG	
Squaring- off Kit	2700	16			YB WG GG	

- 1: PAVESYS HERITAGE, York Blend (YB)
- 2: PAVESYS HERITAGE, Wharfe Grey (WG)
- 3: PAVESYS HERITAGE, Grey Green (GG)

Main image: PAVESYS HERITAGE Paving, Grey Green (GG) bordered with DRIVESYS RIVEN STONE, Basalt (B) and edged with DRIVESETT ARGENT EDGING, Dark (D)

Secondary image: PAVESYS CIRCLE with Squaring-off Kit, Grey Green (GG). DRIVESETT ARGENT Edging, Dark (DK). Plum Slate Aggregate 20mm

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website





Perfect patio paving and focal points

Cast from genuine reclaimed Yorkshire flagstones with a range of face profiles for an authentic aged and weathered look.

CO₂/M² MID RANGE MADEIN

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
	900 x 600 x 35	6			~ *
	600 x 600 x 35	6		HL C P	
Project	600 x 450 x 35	6	10.9		
Pack A	600 x 300 x 35	9			
10.9m²	450 x 450 x 35	6			
	450 x 300 x 35	4			
	300 x 300 x 35	6			
	900 x 600 x 35	6			
Project Pack B	600 x 600 x 35	12	9.7	HL C	/ *
9.7m ²	600 x 300 x 35	6	9./		v "
9./111	300 x 300 x 35	12			

* For Order Select details on Project Packs see p178



- 1: COACH HOUSE, Heathland (HL)
- 2: COACH HOUSE, Cotswold (C)
- 3: COACH HOUSE, Pennant (P)

Main image: COACH HOUSE Paving, Cotswold (C). Edging, TEGULA KERB, Traditional (TRA).

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



All the beauty of wood in durable concrete

Realistic looking sleepers and decking combining all the aesthetic advantages of wood with the durability and practicality of concrete for reduced maintenance requirements.


	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
Woodstone Decking	456 x 456 x 38	22	4.8	4.6	LO	
	800 x 200 x 40	24	6.3	3.8		
Woodstone Sleepers	600 x 200 x 40	24	8.3	2.9	LB DB	`
	200 x 200 x 40	26	25	1.0		



- 1: WOODSTONE DECKING, Light Oak (LO) 2: WOODSTONE SLEEPER, Light Buff (LB)
- 3: WOODSTONE SLEEPER, Dark Brown (DB)

Main image: WOODSTONE SLEEPERS, Dark Brown (DB). AGGREGATE, Atlantic Cobbles, Blue Slate

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.









Elegant and traditional riven sandstone look

With a natural riven look and a choice of colours and accessories designed to complement every garden space, Heritage is cast from split stone flags with mason fettled edges. Versatile and elegant, Heritage offers a popular and attractive paving choice.

CO2/M2 MID RANGE BRITAIN

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
	600 x 600 x 38	22	2.8	7.9	СВ	
	600 x 450 x 38	22	3.7	5.9	CB	
Paving	600 x 300 x 38	44	5.6	7.9	OY	✓
-	450 x 450 x 38	44	4.9	8.9	WYS	
	300 x 300 x 38	44	11.1	4.0	VV 1.5	




- 1: HERITAGE Paving, Calder Brown (CB)
- 2: HERITAGE Paving, Yorkstone (Y)
- 3: HERITAGE Paving, Old Yorkstone (OY)
- 4: HERITAGE Paving, Weathered Yorkstone (WYS)

Main image: HERITAGE Paving and Coping, Yorkstone (Y), DRIVESETT TEGULA Walling, Cotswold (C), Paving edged with DRIVESETT TEGULA, Traditional (TR)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



Be adventurous and add a circle

Circle features, large or small, will add more design opportunities and create unique patio spaces that you can enjoy for years to come.

	Sizes mm (nominal)	No. items/ pack	Colours	Order Select
Circles				
2 Ring Circle Pack	Centre Stone, 1st ring & 2nd ring	25	CB Y OY WYS	/

	Sizes mm (nominal)	No. items/ pack	No./ circle	Colours	Order Select
2 Ring Squaring-off Kits					
Corner Section	600 x 400 x 38	16		CB Y OY WYS	
LH Section	450 x 400/ 180 x 38		4		,
RH Section	450 x 400/ 180 x 38	10			•
Centre Section	590 x 180 x 38				

Main image: HERITAGE CIRCLE, Yorkstone (Y), DRIVESETT TEGULA Walling, Cotswold (C)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.





Family Friendly Paving

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your paving products using this useful colour chart grouped by colour tone and texture.

Key Also available as: C Coping






















Contemporary style with minimal maintenance

Stylish and versatile paving, moulded from original flame treated and mason fettled flagstones. With an attractive colour palette and a light, tactile texture, Firedstone is designed to brighten and enhance even the shadiest of garden spaces.

		Sizes mm (nominal)	No. items per pack	No/m²	m²/pack	Colours	Order Select
	Single	600 x 600 x 38	22	2.8	7.9	FY	
Size Pack	600 x 300 x 38	44	5.6	7.9	D S	✓	
	Pack	300 x 300 x 38	44	11.1	4.0	A	
5m² Project Pack	600 x 600 x 38	8			FY		
	600 x 300 x 38	10	5 D S		D S	√ *	
	300 x 300 x 38	4			A		

^{*} Details of Order Select for Project Packs see P178

- 1: FIREDSTONE, Fired York (FY)
- 2: FIREDSTONE, Dusk (D)
- 3: FIREDSTONE, Sunrise (S)
- 4: FIREDSTONE, Autumn (A)


Main image: FIREDSTONE Paving, Dusk (D), MARSHALITE Rustic Walling, Ash Multi (AM) Secondary image: FIREDSTONE Paving, Autumn (A)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website












Attractive exposed aggregates for character and performance

Saxon has a distinctive textured finish, providing a practical, non-slip surface popular with families for safety and performance. Matching edgings are available to achieve an attractive and coordinated end result.

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
	600 x 600 x 35	30	2.8	10.8	В	/
Paving	600 x 300 x 35	30	5.6	5.4	N	/
Paving	450 x 450 x 35	60	4.9	12.2		√ *
	300 x 300 x 35	60	11.1	5.4	М	1

^{*} Available in Mocha only



1: SAXON, Buff (B)

Main Image: SAXON Paving, Natural (N). Edged with DRIVESETT ARGENT, Dark (DK) Designed by Onkar Nandra and Installed by Central Drives, Rugeley, Staffs.

Secondary Image: SAXON Paving, Buff (B)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website







Authentic visible aggregates and a smooth polished finish

Offering a smooth, ground terrazzo look at an affordable price, Perfecta is designed to complement all property styles, featuring visible Yorkstone aggregates and a smooth finish combined with practical, non slip benefits.

CO₂/M² MID RANGE MADE IN

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
Day day or	450 x 450 x 35	60	4.9	12.2	N	
Paving	600 x 600 x 35	30	2.8	10.8	В	*
Paving					N B	~




- 1: PERFECTA, Natural (N)
- 2: PERFECTA, Buff (B)

Main image: PERFECTA Paving, Natural (N)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



Traditional and practical riven look

Offering an attractive and practical riven look at an affordable price, Regent paving is the premier low carbon paving designed for patio areas. Dovetails with a range of accessories, with three sizes providing a choice of layout options.

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colour	Order Select
Paving	600 x 600 x 38	30	2.8	10.8		
Paving	600 x 300 x 38	30	5.6	5.4	В	~
	300 x 300 x 38	60	11.1	5.4		



1: REGENT, Buff (B)

Main image: REGENT Paving, Buff (B), edged with DRIVESETT TEGULA, Pennant Grey (PG)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.







f

@





All the charm of natural stone

Our ethically sourced standard Indian Sandstone is a budget range of natural stone with a calibrated thickness. Though colour blend is more random it still has the charm of natural stone at an affordable price. Circles are also available.

	Sizes mm (nominal)	No. items/ pack	No./ m²	m²/ pack	Colours			
Standard Ind	Standard Indian Sandstone Full Packs							
	845 x 560	37	2.1	17.5	GM			
Calibrated	560 x 560	64	3.2	20.1	BM			
22mm Thickness	560 x 275	128	6.5	19.7	BRM			
	275 x 275	128	13.2	9.7	DRIVI			

Standard Indian Sandstone – Calibrated 22mm								
	845 x 560		12			2.1		
15m²	560 x 560		12]		3.2	GM	
Project	560 x 417	Г	12	15.2	3	4.3	BM	
Pack*	560 x 275		13			6.5	BRM	
	275 x 275		13			13.2	51.1141	
	Sizes mm (nominal)		No. ite /pac			m²/ pack	Colours	
2 Ring Circle	Pack							
Calibrated	2840 dia	37*		37*		6.3	BM BRM	
			٠					

*1 Centre stone, 12 first ring, 24 second ring

- 1: INDIAN SANDSTONE, Grey Multi (GM)
- 2: INDIAN SANDSTONE, Buff Multi (BM)
- 3: INDIAN SANDSTONE, Brown Multi (BRM)

Main image: INDIAN SANDSTONE, Buff Multi (BM)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website




Rugged and hardwearing flags

*Assumes nominal 10mm joint width

Ideal for basic patios and utility areas, Leyburn is a rugged and hardwearing flag available in two attractive colours, ideal for those looking to trade up from a basic utility paving to a more distinctive option.

	Sizes mm (nominal)	No. items/ pack	No. /m²*	m²/pack	Colours
Davis	450 x 450 x 40	44	4.9	8.91	ВВ
Paving	600 x 600 x 40	22	2.8	7.92	W



- 1: LEYBURN, Buff Blend (BB)
- 2: LEYBURN, Weathered (W)

Main image: LEYBURN Paving, Buff Blend (BB), edged with DRIVELINE 50, Charcoal (CH)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.



f

@



Practical option for utility areas

Available in one size with an attractively textured finish, this paving is an ideal budget choice for utility areas, providing an alternative to standard grey paving for the practical areas around the home.

	Sizes mm (nominal)	No. items/ pack	No. /m²*	m²/pack	Colours
Paving	450 x 450 x 32	64	4.9	13.0	B N

*Assumes nominal 10mm joint width



- 1: TEXTURED UTILITY, Buff (B)
- 2: TEXTURED UTILITY, Natural (N)

Main image: TEXTURED UTILITY Paving, Natural (N)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website





No nonsense paving for utility areas

Providing practical hardstanding at a budget cost, Utility Paving offers a hardwearing and effective solution.

	Sizes mm (nominal)	No. items/ pack	No./m²*	Colours
Richmond	450 x 450 x 32	60	4.7	NRB
Richmond	600 x 600 x 38	25	2.7	NΒ
Pendle	450 x 450 x 32	60	4.7	NRB
renale	600 x 600 x 38	25	2.7	NB

*Assumes nominal 10mm joint width



- 1: UTILITY, Richmond, Red (R)
- 2: UTILITY, Pendle, Red (R)
- 3: UTILITY, Richmond, Buff (B)
- 4: UTILITY, Pendle, Buff (B) 5: UTILITY, Richmond, Natural (N)
- 6: UTILITY, Pendle, Natural (N)

Main image: UTILITY Paving, Pendle, Buff (B)


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see p106-107 or website

















All weather jointing material

Transform the job of pointing paving; Weatherpoint 365 all weather jointing material speeds up installation times, reduces labour involvement and can be laid all year round come rain or shine. No mixing or waste – Weatherpoint 365 sets like concrete and will even resist jet washing and weeds. Comparable strength to 4:1 mortar when set.

	Weight per tub	Weight per pallet	Number of tubs per pallet	Coverage per tub
Stone Grey	15kg	1080kg	15.12	7m²
Buff	15109	1000kg	15.12	7111

*Coverage is a guide based on a 450 x 450 plan size with 10mm joints at 35mm deep. Weatherpoint 365 is available to order by the single unit.

1: WEATHERPOINT 365, Stone Grey (SGR)

2: WEATHERPOINT 365, Buff (B)


Main image: SAWN VERSURO Paving, Antique Silver Multi (ASM) with WEATHERPOINT 365, Stone Grey (SGR)


Secondary image: RIVEN HARENA Paving, Golden Sand Multi (GSM) with WEATHERPOINT 365 Buff (B)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website









Walling & Accessories






Contemporary Walling



Traditional Walling



Walling

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your walling products using this useful colour chart grouped by colour tone and texture.


Key Also available as:


Border Driveway **D** C Edging Coping


Paving P


Е
















Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your walling products using this useful colour chart grouped by colour tone and texture.

Key Also available as:

В Border Driveway D

Paving





22. TRADITIONAL NATURAL STONE, Pitched Face, Autumn Bronze — p94



25. CROFT STONE, Weathered -- p99





20. STONEFACE DRYSTACK VENEER, Harvest Mix Quartzite -- p90



23. TEGULA, Cotswold — p97



26. WILDWOOD, Oak — p93



21. TRADITIONAL NATURAL STONE, Tumbled, Autumn Bronze — p94

24. CROFT STONE, Buff — p99



27. SAWN VERSURO, Autumn Bronze Multi — p88 **B D P**







31. STONEFACE SAWN VENEER, Golden Sand Multi — p88



29. STONEFACE DRYSTACK VENEER, Copper — p90



32. TEGULA, Traditional — p97









33. OLD MILL BRICK, Sunset — p96













Corner Coping







The elegant, smooth and contemporary choice

Elegant Sawn Versuro walling provides a smooth and contemporary finish to enhance any garden setting, made from the same ethically sourced quartzitic Indian Sandstone as the Sawn Versuro range to give a perfect match.

	Sizes mm (nominal)	No. items/ pack	m/ pack	Colours	Order Select				
	500 x 100 x 100	28		GSM					
Sawn 4 Size Project Pack	400 x 100 x 100	400 x 100 x 100 28 4		CCM	√ **				
•	300 x 100 x 100	28	4	4	4	4	7	ABM	•
	200 x 100 x 100	32		SM					

Sawn	Versuro	Coping

Jawii veisuic	Coping			
Straight Coping	500 x 136 x 50	50	GSM CCM	
Corner Coping	318/318 x 136 x 50	80	ABM SM	~

**Order Select will be in 1m random pattern Sawn Versuro Coping is faced on 3 sides



- 3: SAWN VERSURO, Autumn Bronze Multi (ABM))
- 4: SAWN VERSURO, Silver Multi (SM)

Main image: SAWN VERSURO WALLING, Caramel Cream Multi (CCM) with Autumn Bronze Multi (ABM) feature band. SAWN VERSURO Paving, Caramel Cream Multi (CCM)

Secondary image: SAWN VERSUO WALLING & Coping, Autumn Bronze Multi (ABM)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website














Stunning natural stone walling veneers

Achieve a stunning contemporary finish transforming existing or purpose built flat walls quickly and easily with Marshalls Stoneface Drystack walling. These attractive natural stone veneers use a clever Z-cut panel format to disguise joint lines for a seamless effect.

CO₂/M² MID RANGE

Drystack Packs*	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours
Z shape	150 x 550	7	0.5775	CS HM OQ
Corner	150 x 550	7	0.5775	NQ SV SD

Product comes supplied with primer and adhesive. * Minimum order for mainland UK is 5 boxes, carriage-paid.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see p106-107 or website



- 1: STONEFACE DRYSTACK VENEER, Copper Slate (CS)
- 2: STONEFACE DRYSTACK VENEER, Harvest Mix Quartzite (HM)
- 3: STONEFACE DRYSTACK VENEER, Oyster Quartzite (OQ)
- 4: STONEFACE DRYSTACK VENEER, Nero Quartzite (NQ)
- 5: STONEFACE DRYSTACK VENEER, Slate Verte (SV)
- 6: STONEFACE DRYSTACK VENEER, Slate Dusk (SD)

Main image: STONEFACE DRYSTACK VENEER, Copper Slate (CS). Coping is SYMPHONY, Dark (SD) paving cut

Designed and Installed by Garden TLC, Oldham



Simple and striking contemporary elegance

These beautiful natural stone veneers have been designed to clad existing or purpose built flat walls, combining all the aesthetics of sawn stone walling with the ease of the Stoneface installation method. Hand selected for a consistently matched colour blend, Stoneface Sawn Veneer walling coordinates perfectly with all Sawn Versuro products.









	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours
	500 x 100 x 15	4		
	400 x 100 x 15	4		GSM
5 Size Mixed Box	300 x 100 x 15	4		CCM ABM
Wilked Box	200 x 100 x 15	4		SM
	100 x 100 x 15	4		
Total/Box		20	0.54m ²	

Product comes supplied with primer and adhesive Minimum order for mainland UK is 5 boxes




- 1: STONEFACE SAWN VENEER, Golden Sand Multi (GSM)
- 2: STONEFACE SAWN VENEER,
- Caramel Cream Multi (CCM)
- 3: STONEFACE SAWN VENEER, Autumn Bronze Multi (ABM)
- 4: STONEFACE SAWN VENEER,
- Silver Multi (SM) Main image: STONEFACE SAWN VENEER Walling,

Caramel Cream Multi (CCM) Designed and Installed by Brighouse Driveways Ltd, Brighouse

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website






The perfect choice for contemporary designs

Clean lines, contemporary colours and an attractive granite texture and sparkle give Argent walling a cutting edge, modern look and feel. This walling is the perfect partner for other Argent products, creating a distinctive and cohesive finish.

CO₂/M² MID RANGE BRITAIN

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colours	Order Select
Argent Walling	440 x 140 x 100	90	15.2	6.1	DK LT	√ *

* Order Select supplied in minimum 1m




- 1: ARGENT Walling, Light (LT)
- 2: ARGENT Walling, Dark (DK)

Main image: ARGENT Walling, Dark (DK), ARGENT Coping, Light (LT). Designed and Installed by Habitat Landscapes Ltd, Bedford



This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



A stunning new dimension for contemporary spaces

Clean lines and subtle colours characterise Wildwood walling, featuring a surface which is lightly brushed to expose the embedded aggregate for a polished, terrazzo look. Chamfered around the face for a premium modern finish, Wildwood is ideal for creating



CO₂/M² MID RANGE MADE IN BRITAIN

	Sizes mm (nominal)	No. items/ pack	Colours	Order Select
Walling	440 x 215 x 100	40	Р	√ **
Quion End*	440 x 215 x 100	1	0	V

^{*} Quoin ends only supplied Order Select



- 1: WILDWOOD Walling, Pine (P)
- 2: WILDWOOD Walling, Sycamore (S)
- 3: WILDWOOD Walling, Oak (O)



Marshalls recommended adhesive is Marshalls M-Fix

Main image: WILDWOOD Walling, Pine (P) with ARGENT Coping, Dark (DK)


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website










Contemporary style with minimal maintenance

Create striking features with Marshalls attractive pitched or tumbled finished Traditional Natural Stone walling. Made from ethically sourced sandstone and available in two attractive colours, hand selected for consistency and designed to blend perfectly with Marshalls natural stone paving products.

	Sizes mm (nominal)	No. items/ pack	No./ m²+	m² / pack+	Colours	Order Select
Tumbled	220 x 100 x 65	290	58	E 00		
Tumbled	300 x 100 x 65	215	43	5.00	SB	/ *
Pitched	220 x 100 x 65	290	58	F.00	AB	√ *
	300 x 100 x 65	215	43	5.00		

†Includes 10mm joints





- 1: TRADITIONAL NATURAL STONE, Pitched Face, Silver Birch (SB)
- 2: TRADITIONAL NATURAL STONE,
- Pitched Face, Autumn Bronze (AB) 3: TRADITIONAL NATURAL STONE,
- Tumbled, Silver Birch (SB) 4: TRADITIONAL NATURAL STONE, Tumbled, Autumn Bronze (AB)

Main image: TRADITIONAL NATURAL STONE, Pitched

Face Walling, Autumn Bronze (AB) Secondary Image: TRADITIONAL NATURAL STONE, Pitched Face Walling, Silver Birch (SB) Designed and Installed by Perfect Paving, Keston

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website









All the charm of traditional handmade brick

Recreating the timeless, warm look of quality crafted brickwork, Old Mill Brick offers the character and beauty found in historic handmade brick. This authentic, vintage appearance has all the benefits of frost resistance and the strength of modern brick.

	Size mm (nominal)	No. items/ pack	No./m²	m²/pack	Colour	Order Select
Old Mill Brick	215 x 102.5 x 65	452	59	7.7	SUN	~

*Assumes nominal 10 mm joint width




1: OLD MILL BRICK, Sunset (SUN)

Main image: OLD MILL BRICK Walling, Sunset (SUN) Designed and Installed by Jason Clarke Classic Paving, Cheshire

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website






Creating the perfect garden or driveway wall

The perfect match for Drivesett Tegula block paving, Tegula walling features a high quality, rustic appearance designed to bring instant character to any property. Enhance the effect with a selection of copings and caps from the Marshalls range.



	Sizes mm (nominal)	No. items/ pack	No. /m ^{2*}	m²/pack	Colours	Order Select
Blocks	220 x 100 x 65	320	58	5.52		
	300 x 100 x 65	240	43	5.6	C TR	√ **
	440 x 100 x 140	80	15	5.5		

*Assumes nominal 10 mm joint width **Order Select supplied in one size block, 1m² minimum



- 1: TEGULA Walling, Cotswold (C)
- 2: TEGULA Walling, Traditional (TR)


Main image: TEGULA WALLING, Traditional (TR), HERITAGE Coping, Old Yorkstone (OY)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.









The versatile choice for any garden space

Available in three natural and authentic stone finishes, a range of sizes and two attractive colours, Marshalite walling offers a versatile and effective choice to complement all garden design schemes.



					1	
	Sizes mm (nominal)	No. items/ pack	No. / m² *	m²/ pack*	Colours	Order Select
	220 x 100 x 65	360	58	6.2		
Split	300 x 100 x 65 297 43 6.9 B					
	440 x 100 x 140	90	14.8	6.1		
	220 x 100 x 65	360	58	6.2		
Pitched	300 x 100 x 65	297	43	6.9		√ **
rittied	365 x 100 x 140	100	17.8	5.6	В	
	440 x 100 x 140	90	14.8	6.1	AM	
Desatta	220 x 100 x 65	320	58	5.5		
Rustic	300 x 100 x 65	297	43	6.9		

- * Assumes nomtinal 10mm joint width
- ** Order Select supplied in one sized block, 1m² minimum



- 1: MARSHALITE, Rustic, Buff (B)
- 2: MARSHALITE, Rustic, Ash Multi (AM)
- 3: MARSHALITE, Pitched Face, Buff (B)
- 4: MARSHALITE, Pitched Face, Ash Multi (AM)
- 4: MARSHALITE, Split Face, Buff (B)

Main image: MARSHALITE PITCHED FACE, Ash Multi (AM)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website



Easy build, elegant DIY finish

Unique easy-build system designed specifically for the construction of retaining walls, Croft Stone walling is the perfect DIY choice. With no mortar required, the walls can be built and rebuilt to suit individual designs. Easy to construct, with one block size and two versatile colour choices.



Sizes mm

(nominal)

300 x 170 x 100

No./m²

m²/pack

Colours

W

Order Select

1: CROFT STONE Walling, Buff (B) 2: CROFT STONE Walling, Weathered (W)

Main image: CROFT STONE Walling, Weathered (W)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website


www.marshalls.co.uk prior to installation.











Essential finishes for walling projects

Use co-ordinating or contrasting coping colours to cap off your walls and pillars. They are an essential component to protect the structure from water damage and they complete the look.

	Sizes mm (nominal)	No. items/ pack	m /pack	Colours	Order Select
Argent Copi	ng				
Coarse	600 x 136 x 50	50	30.5	LT, DK	1
Coping	600 x 272 x 50	25	15.3	LI, DK	
Drivesett Co	ping				
Coping	600 x 300 x 45	20	6*	TR	✓
Heritage Co	ping				
Coping/ Edging	600 x 150 x 38	44	26.8	Y, OY, CB	✓
Coping	600 x 300 x 38	44	34.2	Y, OY, WYS	/

	Sizes mm (nominal)	No. items/ pack	m /pack	Colours	Order Select
Precast Copi	ng & Caps				
Coping	600 x 140 x 50 to 30	56	33.6		
Coping	600 x 280 x 50 to 30	27	16.2		
Pillar Cap	460 x 460 x 90 to 38	24		OW	
Pillar Cap	380 x 380 x 76 to 32	24	N/A		,
Pillar Cap	280 x 280 x 63 to 32	48			•
Saxon Copin					
Coping	600 x 136 x 50	50	30.5	В	,
Coping	600 x 272 x 50	25	15.3	В	•

Main Image: DRIVESETT TEGULA WALLING, Traditional (TR) Heritage Coping, Old Yorkstone (OY)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p106-107 or website













Also available as:

Driveways Edging

D

Paving Walling Р W



DECORATIVE AGGREGATES Accessories

Decorative Aggregates have multiple uses as decorative edgings to paths, in soakaways between walls and paving. As mulches between plants and in borders and in and around ponds and on driveways if contained by drivegrid. Consult the tables for the recommended uses of each.



Nominal grade Available in Available in No. of poly Bags per pallet Approx poly bag m² coverage m² coverage Approx bulk bag m² coverage Solkg bags* Approx bulk bag when laid Approx bulk bag when laid Solkg bags* Approx bulk bag Carfinendly Garfriendly

	Nom	Avai 20kg	No. c bags	Appl m ² c whe 25m	Avai 850k	Appl m ² c whe 25m	Fish	Carf	Orde
Plum Slate Chippings 20mm	5-30mm	Yes	64	0.4	Yes	19	Yes		1
Plum Slate Chippings 40mm	30-50mm	Yes	64	0.4	Yes	19	Yes		1
Sea-Washed 10mm	6-10mm	Yes	64	0.4	Yes	19	Yes	Yes	1
Spanish White Chippings	8-11mm	Yes	64	0.4	Yes	19			1
Terracotta	8-14mm	Yes	64	0.4	Yes	19	Yes	Yes	1

*Nominal weight

	Nominal grade	Available in 20kg poly ba	No. of poly bags per pal	Approx poly m² coverage when laid 25mm deep	Available in 850kg bags*	Approx bulk m² coverage when laid 25mm deep	Fish friendly	Car friendly	Order Select
Decorative Aggregates									
Blue Slate Chippings 20mm	5-30mm	Yes	64	0.4	Yes	19	Yes		1
Blue Slate Chippings 40mm	30-50mm	Yes	64	0.4	Yes	19	Yes		1
Cotswold Chippings	10-14mm	Yes	64	0.4	Yes	19		Yes	1
Golden Blend 10mm	4-10mm	Yes	64	0.5	Yes	23	Yes	Yes	1
Golden Blend 20mm	10-20mm	Yes	64	0.4	Yes	19	Yes	Yes	1
Multi Flint Spar	8-11mm	Yes	64	0.5	Yes	23			/

ags*
let bag bag







Chosen to enhance gardens and driveways





	Nominal Grade	Available in 20kg poly bags*	No. of poly bags per pallet	Approx poly bag m² coverage when laid 25mm deep	Available in 850kg bags*	Approx bulk bag m² coverage when laid 25mm deep	Fish friendly	Car friendly	Order Select
Pebbles and Cob	bles								
Atlantic Pebbles 25mm	20-30mm	Yes	64	0.3	Yes	15.2	Yes	Yes	1
Atlantic Pebbles 40mm	30-50mm	Yes	64	N/A	Yes	N/A	Yes		1
Atlantic Cobbles 120mm	100-150mm	Yes	64	N/A	Yes	N/A	Yes		/
Paddlestones, Slate	50-100mm	Yes	64	N/A	Yes	N/A	Yes		1

	Nominal Grade	Available in 20kg poly bags*	No. of poly bags per pallet	Approx poly bag m² coverage when laid 25mm deep	Available in 850kg bags*	Approx bulk bag m² coverage when laid 25mm deep	Fish friendly	Car friendly	Order Select
Pebbles and Cobl	oles								
Spanish White Pebbles	20-40mm	Yes	64	0.3	Yes	15.2			/
Spanish White Cobbles	40-75mm	Yes	64	N/A	Yes	N/A			/
Polished Pebbles									
Black Polished Pebbles	20-40mm	Yes	48	0.3	No	N/A	Yes		/
*Nominal weight									









Atlantic Pebbles 40mm





Medium to large stones for rockery features







	Nominal product size	Cage size*	Fish friendly				
Rockery							
Plum Slate Rockery	Various	1 tonne	Yes				
Atlantic Cobbles	150-200mm	1 tonne	Yes				
Part Worn Boulders	300-400mm	1 tonne	Yes				
*Nominal w	*Nominal weight						





Decorative edging is a practical and attractive detail in any garden

Edgings are a neat physical barrier between paths and patios and surrounding soft landscaping. Edgings, when haunched correctly also help to maintain the integrity and strength of the paving they border, indeed carefully chosen edgings can be important elements in the design and maintenence of a garden.

	Sizes mm (nominal)	No. items/ pack	Weight (kg/ each)	Weight (kg/ pack)	Colours	Order Select
Contemporary	/ Edging					
Saxon**	600 x 136 x 50	50	9	469	В	/
Argent**	600 x 136 x 50	50	9	507	LT DK	/
Corinthian	600 x 150 x 50	60	12.4	744	BRI	
Round Top	600 x 150 x 50	60	10.7	642	BW	
Contour	600 × 150 × 50	60	9.5	570	B R	

^{**}Coping used as an edging can be obtained in less than full pack quantities – minimum quantity, single units (See 'Order Select', p.178)

Main image: HEWNSTONE EDGING, Dark Buff (DB), FIREDSTONE Paving, Fired York (FY)

	Sizes mm (nominal)	No. item/pack	Weight (kg/each)	Weight (kg/pack)	Colours	Order Select*
Traditional Edg	ging					
Antique Rope Edging	465 x 170 x 50	52	5.38	280	ТМВ	1
Antique Rope Corner Dolly	45 x 280 x 50	12	1.17	14	MB	1
Country Edging	600 x 150 x 45	60	9	540	WTHRD OTML	/
Victorian Rope Top	590 x 180 x 50	30	12.4	372	RB	N/A
Victorian Rope Top Corner Post	60 x 280 x 60	12	2.2	27	RB	N/A

^{*}Can be obtained in less than full pack quantities – minimum quantity, single units. (See 'Order Select', p.178)

Contemporary









Traditional











Paving & Walling Notes

Common to all Marshalls Natural Stone

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone Guarantee. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources (see page 5 for more information)
- · All Marshalls Sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard
- The natural origin of stone means variation in colour, texture and natural markings is inevitable. Marshalls strive through expert hand selection to ensure the integrity of each natural stone range, however as in all natural products some variation may occur
- Natural Stone products come with specific installation quidelines. Please contact our Technical Advisory Team on 0370411 2233 or visit our website www.marshalls.co.uk prior
- Please note granite and marble is not suitable for use with WeatherPoint

p22

SAWN VERSURO

- A lightly textured natural stone product with good
- Remember if used indoors this paving should be sealed with a proprietary water based acrylic sealant
- When using Jumbo and King Size, due to the weight of the units mechanically aided lifting is essential
- Please note Jumbo and King Size can only be delivered
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

p24

FLAMED NARIAS

- A lightly flamed natural stone product
- This paving can be purchased in less than full packs through Marshalls Order Select process
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

SYMPHONY VITRIFIED

- Vitrified paving is a high performance, manufactured paving product
- For perfect results these products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact our Technical Advisory Service on 0370 411 2233

p42

- An attractive, hardwearing concrete paving product with granite aggregates
- For a contemporary look choose Argent Smooth, for greater slip skid properties try Argent Textured
- This paving is ideal for jointing with Marshalls all weather, $\hbox{`WeatherPoint Jointing Compound'}$

MARSHALLS STEPS

- · Marshalls has a broad range of high performance natural stone steps, ranging from sandstone to marble and granite
- They can be used the match Marshalls natural stone paving products or to complement concrete paving products

SCOUTMOOR

- A natural stone paving product
- This product is supplied 'direct to site' only
- It is recommended that you contact Marshalls Technical Advisory Service for best installation advice when laying
- A mortar joint or Instarmac FloPoint should be used with this product

p52

RIVEN HARENA

- A natural stone paving product
- This paving is carefully calibrated to a consistent thickness to ensure speed and precision of installation
- Remember Harena Circles are available and stone is hand selected to ensure compatibility across your patio
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

FIREDSTONE

SAXON

An accurate riven stone replica, concrete paving product This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

- Saxon is a textured concrete paving product, made with local aggregates giving excellent slip skid qualities
- Please note Saxon is made in a number of factories across the UK and uses local aggregates. So it is not recommended to lay product from a number of factories together
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

PERFECTA p72

- A concrete paving product with Yorkstone aggregates, which are ground to give the appearance of terrazzo
- Yorkstone aggregates, give this product excellent non-slip properties, even when wet
- This paying is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

p73

A standard riven stone replica, concrete paving product

REGENT

This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

INDIAN SANDSTONE

- A budget natural stone product
- This paving is comparative with most other commercially available stone but has not met the rigorous grading
- standards set for all our premium grade Harena sandstone This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

LEYBURN

- A budget concrete paving product
- Although performance is good, sizes and colours will
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

Common to all Marshalls Walling Products:

Marshalls recommends the use of Coping and Caps with all Walling Products. Copings and Caps protect walls against the staining effect of rain for a period of time

STONEFACE DRYSTACK VENEER

- A natural stone veneer for transforming existing or purpose built walls
- Panels are in a Z cut format to hide joints, for a
- This product is supplied with the correct amount of adhesive and prim

STONEFACE SAWN VENEER

- A natural stone veneer for transforming existing or
- This product is supplied with the correct amount of adhesive and primer

p92

ARGENT Walling

- A textured concrete walling product with sparkling
- aggregates in the surface Corner Quoin Ends can be ordered via Marshalls Order Select
- · Please note this walling is only faced on one side
- Use Marshalls 'M-Fix Walling Adhesive' when using this product

WILDWOOD Walling

- An attractive concrete walling product with a premium lightly polished finish
- Corner Quoin Ends can be ordered via Marshalls Order Select Please note this walling is only faced on one side

Use Marshalls 'M-Fix Walling Adhesive' when using

TRADITIONAL NATURAL STONE Walling p94-95

- A premium natural stone walling product, available in a
- · A 10mm joint width is recommended with this product

OLD MILL BRICK

- A traditional clay walling product
- A 10mm joint width is recommended with this product

CASARTA SLATE

- A natural slate paving product Natural slate inevitably shows variation in colour, so viewing the actual samples is always recommended
- Also dark slate sometimes surface blemishes occur during installation, these will weather in over time,
- · If used indoors an appropriate water-based sealant
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

p28

LAZARO MARBLE

- A marble product which should be Installed on full mortar
- bed, and jointed with a proprietary waterproof grout For perfect installation of this exceptional paving Marshalls recommend specific primers and bonding agent. Your Register Installer should refer to his Pocket Installation Guide
- or call our Technical Advisory Service on 0370 411 2233 • We recommend the use of slurry primer, or similar flexible bonding agent to increase adhesion, this should be introduced to the back of the flag prior to installing onto the mortar bed
- Ensure cutting is carried out using a power saw with the appropriate quality diamond blade
- Marshalls WeatherPoint is not suitable for use with

- A natural slate paving product
- Please note natural products will always vary in colour although we aim to show the best representation possible, but colours are best judged by viewing actual samples
- Also dark slate sometimes surface blemishes occur during. installation, these will weather in over time,
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

GRANITE ECLIPSE

- A natural granite paving product
- Please be aware, natural slate inevitably shows variation in colour, colours are best judged by viewing the actual samples

compound, instead use waterproof external grout

- As Granite Eclipse is a natural material, varying degrees of quartz veining may be apparent in some pieces
- Make sure, if used indoors, paving is sealed with a proprietary Not suitable for use with Marshalls WeatherPoint jointing

ANTIQUE ALVERNO

- A natural stone paving product This paving is carefully calibrated to a consistent thickness to ensure speed and precision of installation
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound

LIMESTONE ALURI

- A natural stone paving product
- Please note that Charcoal limestone can lighten depending on weather conditions in your area
- This paying is ideal for jointing with Marshalls all weather. 'WeatherPoint Jointing Compound

ARRENTO

- Vitrified paving is a high performance, manufactured paving product
- For perfect results Symphony Vitrified products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact our Technical Advisory Service on 0370 411 2233

PAVESYS HERITAGE

- Pavesys is a unique patented concrete paving system, The system is designed to create the correct width, automatic joints when the paving is laid. If you would like to know more about Pavesys or if using it for the first time, it is recommended that installation instructions are obtained from the Technical Advisory Service (Tel: 0370 411 2233)

Remember Pavesys Heritage comes with the correct amount

p62

of Weather Point jointing compound COACH HOUSE

'WeatherPoint Jointing Compound'

- An accurate riven stone replica, concrete paving product This paving is ideal for jointing with Marshalls all weather,
- WOODSTONE DECKING An accurate wood replica, concrete paving product

Wood stone are faced on both edges for a realistic look

WOODSTONE SLEEPERS

· A wood replica, concrete paving product · Wood stone are faced on both edges for a realistic look

HERITAGE

- An accurate riven stone replica, concrete paving product
- This paving is ideal for jointing with Marshalls all weather, 'WeatherPoint Jointing Compound'

TEXTURED UTILITY

- · A budget concrete paving product with good non-slip properties Although performance is good, sizes and colours will be
- limited, and finish may be varied This paving is ideal for jointing with Marshalls all weather,

UTILITY PAVING

'WeatherPoint Jointing Compound'

- A budget concrete paving product with a shot blasted or riven finish with good non-slip properties
- Although performance is good, sizes and colours will be limited, and finish may be varied This paving is ideal for jointing with Marshalls all weather,

'WeatherPoint Jointing Compound'

Speeds up installation time

- **WEATHERPOINT 365** A non hazardous, weed and frost resistant jointing compound ideal for 8-15mm joints
- WeatherPoint can be applied in wet or dry weather conditions, but water must be always be used No surface staining if applied correctly WeatherPoint is not suitable for use on granite paving

TEGULA Walling

- A traditional concrete walling product which complements a range of Drivesett Tegula and other Marshalls
- landscaping products A 10mm joint width is recommended with this product

MARSHALITE Walling

- A traditional concrete walling product which complements a range of Marshalls Paving and Driveway products A 10mm joint width is recommended with this product
- **CROFT STONE** An attractive, concrete easy-build walling system This walling is Ideal for retaining walls up to 6

or dividing wall p102-103


product character

courses, but should never be used as a freestanding **DECORATIVE AGGREGATES**

- Decorative Aggregates are natural products Please note because these are naturally occurring materials. they may vary slightly in size and colour, this reflects the
- Recommended minimum coverage for aesthetic effect – 25mm, for weed suppression – 50mm
- Decorative Aggregates do not always provide a solid base to walk on, care should be taken














Driveways








The importance of your driveway sub-base

Think about your house itself. It must be built on sound foundations to last, and the same is true for your driveway. In order to ensure that the finished project will last and retain both its aesthetics and safe, level surface, the appropriate sub-base must be selected and installed correctly.

The sub-base is typically compacted stone aggregate, laid on the subgrade (earth) that will support the paving products you have chosen to install. It is the main load-bearing layer for your driveway and its role is to spread this load and support the products evenly over the subgrade.

Illustrated here is a typical example of how your sub-base will be made up. The actual products and depths selected will change dependent upon the products you have selected for installation.

Remember, the sub-base is integral to structure and performance of the driveway and can often take up to 80% of the total project cost. Therefore, choosing the best possible product will not add significantly to the overall cost.



The potential pitfalls of incorrect sub-base installation:

Where the sub-base is installed incorrectly or is insufficient to support the chosen driveway products, the consequences are significant.



Poor edge restraint



Rutting



Sinking driveway

Choose a Marshalls Register Installer


Marshalls Register members are assessed on a regular basis to ensure they install our products correctly, giving you the right driveway to enhance the appeal of your property into the future. That's why 99% of people who use a Register member would recommend them to a friend.*

To find your local member please visit www.marshalls.co.uk/findaninstaller



*Data analysis from Customer Feedback Forms, includes the period up to and including September 2016.






Contemporary Driveways



Permeable Driveways



Traditional Driveways





Contemporary Driveways

 $Most\ people\ have\ in\ mind\ a\ colour\ palette\ for\ their\ project,\ irrespective\ of\ material\ or\ texture.$ Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.
















Also available as: Coping C

Edging **E**

Paving P

Steps **S**

Walling W



Contemporary Driveways

 $Most\ people\ have\ in\ mind\ a\ colour\ palette\ for\ their\ project,\ irrespective\ of\ material\ or\ texture.$ Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.




















- 1: DRIVESYS RIVEN STONE, Golden (GO)
- 2: DRIVESYS RIVEN STONE, Silver Grey (SG)
- 3: DRIVESYS RIVEN STONE, Basalt (B)

Creating the perfect contemporary driveway

An elegant driveway system replicating lightly riven stone face profiles complemented by crisp, straight contemporary edges, offering an attractive and cost effective alternative to natural stone. Practical, hardwearing colour and finish, created from real stone masters, with co-ordinating roundtop edgings.





Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers

To complete every Drivesys driveway, each pack is supplied with the right amount of ready mixed jointing compound, minimising fuss and number of deliveries.

	Sizes mm (nominal)	No. item/ pack	Area (m²/pack)	Colours
	220 x 160 x 60	50		
	200 x 160 x 60	30		GO
Mixed Size Pack	180 x 160 x 60	40		SG B
	160 x 160 x 60	10		
	120 x 160 x 60	15		
Ready mixed jointing	15kg	2		GREY
Total/pack		145	4.51	

Please note: Drivesys pack sizes may be subject to change. Please call Marshalls on 0345 3040 707 for more information

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated blocks may appear lighter in colour.

Main image: DRIVESYS RIVEN STONE, Golden (GO). Edging feature in DRIVESETT TEGULA ORIGINAL, Pennant Grey (PG), DRIVESETT KERB Edge Restraint Designed and Installed by

Branching Out Landscapes, Rochdale


Secondary image: DRIVESYS RIVEN STONE, Basalt (B), edged with DRIVESYS SPLIT STONE, Grey Green (GG)


Designed and Installed by Gary Pearce Landscapes Ltd, Shrewsbury

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website

www.marshalls.co.uk prior to installation.









1: DRIVESYS SPLIT STONE, Basalt (B) 2: DRIVESYS SPLIT STONE, Grey Green (GG)

The sophisticated driveway solution

All the character of premium natural stone with the reliability of a modern engineered concrete system. This robust design is created using realistic split stone face profiles combined with a straight contemporary edge for a sophisticated end result. The hardwearing colour and finish is created from real stone masters, with co-ordinating roundtop edgings.







Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers

To complete every Drivesys driveway, each pack is supplied with the right amount of ready mixed jointing compound, minimising fuss



	Sizes mm (nominal)	No. item/ pack	Area (m²/pack)	Colours
	220 x 160 x 60	50		
	200 x 160 x 60	30		_
Mixed Size Pack	180 x 160 x 60	40		B GG
	160 x 160 x 60	10		
	120 x 160 x 60	15		
Ready mixed jointing	15kg	2		GREY
Total/pack		145	4.51	

Please note: Drivesys pack sizes may be subject to change. Please call Marshalls on 0345 3040 707 for more information

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated blocks may appear lighter

Main image: DRIVESYS SPLIT STONE, Basalt (B). Feature banding, Inset Circle and surrounding areas in DRIVESETT ARGENT, Dark (DK) and Light (LT) Designed and installed by All Seasons Landscapes,


Secondary image: DRIVESYS SPLIT STONE, Grey Green (GG), edged with NATURAL STONE SETTS, Split & Tumbled, Silver Birch (SB) and DRIVESETT KERB, Traditional (TR) Design and Installation by

Valley Driveways, Blackburn

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P172-174 or website.









Creating a stunning and prestigious approach

Create an impact with this larger sized concrete system featuring a flamed-effect finish with the prestigious look and feel of Welsh Pennant stone. Realistic Gwrhyd Welsh stone face profiles used with a straight contemporary edge provide the ideal solution for both traditional and contemporary settings. Hard wearing colour and finish, available in five complementary sizes with co-ordinating roundtop edgings.

To complete every Drivesys driveway, each pack is supplied with the right amount of ready mixed jointing compound, minimising fuss and number of deliveries.



	Sizes mm (nominal)	No. item/ pack	Area (m²/pack)	Colours
	280 x 210 x 60	50		
	210 x 210 x 60	25		
Mixed Sized Pack	140 x 210 x 60	20		BP
	250 x 210 x 60	10		
	170 x 210 x 60	10		
Ready mixed jointing	15kg	2		GREY
Total/pack		115	5.51	

Please note: Drivesys pack sizes may be subject to change. Please call Marshalls on 0345 3040 707 for more information

1: DRIVESYS FLAMED STONE, Blue Pennant (BP)

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated blocks may appear lighter

Main image: DRIVESYS FLAMED STONE, Blue Pennant (BP). Edged with DRIVESYS RIVEN STONE, Silver Grey (SG). DRIVELINE DRAIN, Charcoal (CH) Secondary image: DRIVESYS ROUNDTOP Edging, Basalt (B) with DRIVESYS FLAMED STONE, Blue Pennant (BP). Edged with DRIVESYS RIVEN

STONE, Basalt (B) This product comes with specific installation guidelines. Please contact our Technical Advisory

www.marshalls.co.uk prior to installation. For more product notes see p172-174 or website.

Team on 0370 411 2233 or visit our website








Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers



P

f

@







The statement choice for driveways and patios

Exceptional large element stone setts designed to make a real statement. Equally suitable for use on both driveways and patios. These sandstone setts will add a unique and stylish look to your property and are available in two blended colours of a naturally split stone which provides a delicately riven surface finish.

	Sizes mm (nominal)	No. items/ pack	No./m²	Colours	Order Select
	400 x 400 x 50	16	N/A		
Magnasett 7.9m²	400 x 265 x 50	32	N/A	AG	√ ∗
7.9m² Project Pack			N/A	SD	, , ,
	265 x 127 x 50	24	N/A		

^{*} Order Select minimum quantity is 1m2 random sizes



^{2:} MAGNASETT, Silver Dusk (SD)

Main image: MAGNASETT, Silver Dusk (SD). Edged with DRIVESETT ARGENT, Buff (B)
Designed and installed by Perfect Paving Ltd, Keston
Secondary image: MAGNASETT, Autumn Gold (AG)
Design and Installation by
Avantgardens North East Ltd, Hartlepool

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see p172-174 or website.











Create bespoke, traditional and individual effects

Precisely sawn Driveway Setts produced from graded Indian sandstone, hand selected for beautiful consistent colours to give any home a bespoke look and a real touch of luxury.

		Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
		120 x 160 x 50	28			
	eway etts	160 x 160 x 50	90	7.83	AB SB	√ *
3.		240 x 160 x 50	130		38	

* Order Select minimum quantity is 1m² random sizes




- 1: DRIVEWAY SETTS, Autumn Bronze (AB)
- 2: DRIVEWAY SETTS, Silver Birch (SB)

Main image: DRIVEWAY SETTS, Autumn Bronze (AB) and Silver Birch (SB), banded with CROPPED GRANITE SETTS, Silver Grey (SG)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p172-174 or website.





Striking contemporary driveway solutions

Stunning, Sawn Granite Driveway Setts, new to the Marshalls range for 2017 are perfect for those looking to create a contemporary driveway. Designed to co-ordinate perfectly with Marshalls Light and Dark Granite Eclipse paving products, these modern format setts have a lightly flamed surface texture for excellent non-slip properties.





	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
	350 x 150 x 50	90		-	
Granite Setts	250 x 150 x 50	60	7.65	LT DK	√ *
	150 x 150 x 50	30		5	
Cropped Granite Setts	100 x 100 x 100	375	4.96	SG	N/A

* Order Select minimum quantity is 1m²



- 1: SAWN GRANITE SETTS, Light (LT)
- 2: SAWN GRANITE SETTS, Dark (DK)
- 3: CROPPED GRANITE SETTS, Silver Grey (SG)

Main image: SAWN GRANITE SETTS, Dark (DK), with SAWN GRANITE SETTS , Light (LT) border feature Edged with SAWN VERSURO BORDERS, Antique Silver Multi (ASM)


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p 172-174 or website.









Stunning modern granite finish

Achieve a premium granite look with Drivesett Argent, a cost effective, attractive and hardwearing alternative to natural granite stone setts. Made using a blend of British granite aggregates, we have created a stunning contemporary driveway finish, with colour and circle choices for greater design potential and truly bespoke results.

	80 x 160 x 50	48	0.61	Dł B					
Total/pack		384	10.75						
Order Select supplied in 1 layer random pattern									
	1	i	1						
	Sizes mm (nominal)	m²/pac	k Colours						

	Sizes mm (nominal)	m²/pack	Colours
Circle Pack (2.6m dia.)	2600	5.3	LT DK B

No. Order Select Sizes mm items/ pack m²/pack Colours 240 x 160 x 50 120 4.61 Mixed Size 216 5.53 160 x 160 x 50

Buff (B) driveway with circle feature. Edged with DRIVESETT ARGENT Light (LT) and DRIVESETT ARGENT EDGING, Natural (N) This product comes with specific installation

1: DRIVESETT ARGENT, Graphite (GR)

Main image: DRIVESETT ARGENT, Dark (DK),

edged with DRIVESETT ARGENT, Light (LT) and

Installed by Aura Landscapes Ltd, Southampton

2: DRIVESETT ARGENT, Light (LT)

3: DRIVESETT ARGENT, Dark (DK)

4: DRIVESETT ARGENT, Buff (B)

TEGULA KERB, Pennant Grey (PG)

Secondary image: DRIVESETT ARGENT,


guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p 172-174 or website.














Create a classic look and feel

Superb quality, great value product designed to create a classic driveway look and finish, providing hard wearing performance with smooth, clean contemporary blocks available in a range of colours and sizes to provide the right aesthetic for every property style.

	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours	Order Select
	240 x 160 x 50	300	11.52	A	
Single Size Packs	160 x 160 x 50	420	10.75	TR	✓ *
	120 x 160 x 50	540	10.37	PG	

^{*} Order Select minimum supplied, 1sqm in single sizes

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

1: DRIVESETT SAVANNA, Autumn (A)
2: DRIVESETT SAVANNA, Traditional (TR)
3: DRIVESETT SAVANNA, Pennant Grey (PG)

Main image: DRIVESETT SAVANNA, Autumn (A),

Designed and Installed by Brighouse Driveways, Brighouse Secondary image: DRIVESETT SAVANNA, Traditional (TR)

edged with KEYKERB Small & Large, Charcoal (CH)

For more product notes see P 172-174 or website.
















Premium and streamlined driveway style

Achieve a sharp contemporary look with the distinctive streamlined shape of Driveline Metro, lightly washed to expose the aggregate and give a premium finish. Create an eye catching design statement by mixing the four carefully selected colour options.

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours
Single Size Pack	480 x 130 x 80	108	6.73	MA RO LG DG











3: DRIVELINE METRO, Light Grey (LG)

4: DRIVELINE METRO, Dark Grey (DG)

Main image: DRIVELINE METRO Driveway featuring Light Grey (LG), Dark Grey (DG), Maroon (MA) and Rose (RO), random mix. Edged with DRIVESETT ARGENT, Dark (DK)

Secondary image: DRIVELINE METRO Driveway featuring Light Grey (LG), Dark Grey (DG), Maroon (MA) and Rose (RO)


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P 172-174 or website.









The leading choice for Britain's driveways

With all the inherent quality and durability expected from one of Britain's most popular driveway products, recent improvements to texture and finish only add to the appeal of Driveline 50. These smooth and durable contemporary blocks are available in a wide range of vibrant colours and will maintain their appearance for years, complementing any style of property.

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours
Single Size Packs	200 x 100 x 50	488	9.76	BRI CH R BO PM B BRA









1: DRIVELINE 50, Brindle (BRI) 2: DRIVELINE 50, Charcoal (CH)

3: DRIVELINE 50, Red (R)

4: DRIVELINE 50, Burnt Ochre (BO) 5: DRIVELINE 50, Pewter Multi (PM)


6: DRIVELINE 50, Buff (B) 7: DRIVELINE 50, Bracken (BRA)

Main image: DRIVELINE 50, Bracken (BRA) and Burnt Ochre (BO) mix. Feature bands of DRIVELINE 50,

Designed and Installed by Chris Hallinan Patios & Driveways, Brighouse

Secondary image: DRIVELINE 50, Burnt Ochre (BO), Edged with DRIVELINE 50, Charcoal (CH)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.





Permeable Driveways

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.















This increased risk of flooding has led to changes in legislation, meaning that the environmental consequences of creating hard landscaped areas for vehicle parking must now be taken into consideration when planning your driveway project. Visit www.communities.gov.uk for further information.

However, new and replacement driveways of any size are exempt from planning permission requirements where they use Sustainable Urban Drainage Systems (SuDS).

Marshalls offers a full range of driveway products requiring no planning permission and having a positive impact on the environment.

The Priora Sustainable Urban Drainage System (SuDS) has been specifically designed to manage heavy rainfall events. Each 60mm block features the Marshalls patented Priora nib design, which allows surface water to pass between the blocks into a specially calculated sub-base without compromising the structural performance of the driveway.




Three of the Marshalls most popular driveway ranges offer Priora SuDS options; Drivesett Argent Priora (p140), Drivesett Tegula Priora (p142) and Driveline Priora (p.144).

Marshalls permeable grids such as Grassguard or Drivegrid can also be used to create occasional parking areas capable of managing the rainfall that lands on your property as long as a permeable sub-base is installed. Grassguard works in a similar way to Priora block paving, retaining all the environmental benefits of natural grassed areas yet offering the versatility and hardwearing strength of concrete. Drivegrid is a premium gravel stabiliser which combines with a permeable geotextile and choice of aggregate to complement any style of property. Both have been designed to allow rainwater to flow through easily into the sub base below.*





In the sub-base, the sand laying course and MOTType 1 are replaced with a larger aggregate that creates voids to allow the water to drain through. This design stores water safely until it can be absorbed into the ground, instead of directing it to the local drainage system, where it could present a burden.



Where a permeable driveway is not an option


Adequate drainage must be incorporated into your driveway or patio design. Marshalls has launched Driveline Drain, an innovative linear drainage solution that successfully achieves a premium finish, reduces the risk of flooding and complies with government legislation. See Page 167 for more details.





f

@







Contemporary sustainable driveway solutions

The ultimate sustainable driveway option with no additional drainage required and no need for planning permission. Priora Permeable Paving is designed to enable rainwater to percolate directly into the ground below, without overloading the drains, thereby reducing flood risk. Argent Priora has all the design appeal of a contemporary granite-look finish and is available with a range of co-ordinating, walling and edging features.

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
	240 x 160 x 60	108			
Mixed Size Pack	160 x 160 x 60	135		GR	
	80 x 160 x 60	36		LT DK	✓*
Total Pack		279	8.06		

^{*} Order Select supplied in 1 layer random pattern



- 1: DRIVESETT ARGENT PRIORA, Graphite (GR)
- 2: DRIVESETT ARGENT PRIORA, Light (LT)
- 3: DRIVESETT ARGENT PRIORA, Dark (DK)

Main image: DRIVESETT ARGENT PRIORA, Graphite (GR) with DRIVESETT ARGENT PRIORA, Light (LT) border and DRIVESETT ARGENT Edging, Light (LT)

Designed and Installed by Milner Landscapes and Construction, Birmingham

Secondary image: DRIVESETT ARGENT PRIORA, Dark (DK) Edged with DRIVESETT ARGENT PRIORA, Graphite (GR) and Light (LT) Designed and Installed by

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see P 172-175 or website.








McPave North West, Preston







High quality, aged and authentic sustainable block paving

The original and most popular traditional block paving in the UK, renowned for its lasting high quality look, featuring an elegant timeworn appearance and available in a variety of sizes and rich colour blends. No planning permission required – Tegula Priora is designed to manage heavy rainfall in a sustainable way, with surface water passing through into the ground below. No need for additional drainage.



	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	
	240 x 160 x 60	232	8.91	TD	
Single Size Pack	160 x 160 x 60	348	8.91	TR PG H	
	120 x 160 x 60	492	9.45	17	

Tegula is a trademark of SF Kooperation GmbH Priora is a trademark of UNI-International Bausysteme GmbH



1: DRIVESETT TEGULA PRIORA,

3: DRIVESETT TEGULA PRIORA,

Main image: DRIVESETT TEGULA PRIORA, Pennant Grey (PG) with Harvest (H) mix and Traditional (TR) Designed and Installed by Sandstone Landscape Construction, York

Secondary image: DRIVESETT TEGULA PRIORA, Harvest (H). Edged with TEGULA KERB, Pennant

Traditional (TR)
2: DRIVESETT TEGULA PRIORA,
Pennant Grey (PG)

Harvest (H)


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see P 172-175 or website.






@







Versatile and elegant sustainable driveways

The ideal permeable driveway solution, available in a range of attractive and popular colour options to enhance every home. No planning permission or additional drainage is required – Driveline Priora manages driveway drainage by allowing surface water to pass through the joints directly into the ground below, so not overloading the drains and reducing flood risk.

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours
Single Size Pack	200 x 100 x 60	404	8.08	BRI BRA BO B CH R

- 1: DRIVELINE PRIORA, Brindle (BRI)
- 2: DRIVELINE PRIORA, Bracken (BRA)
- 3: DRIVELINE PRIORA, Burnt Ochre (BO)
- 4: DRIVELINE PRIORA, Buff (B)
- 5: DRIVELINE PRIORA, Charcoal (CH)
- 6: DRIVELINE PRIORA, Red (R)

Main image: DRIVELINE PRIORA, Brindle (BRI) edged with DRIVELINE PRIORA, Charcoal (CH) and DRIVELINE 4-in-1 Kerb, Charcoal (CH)

Secondary image: DRIVELINE PRIORA, Bracken (BRA)


This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P 172-175 or website.









Sustainable occasional parking provision

Versatile and hardwearing Grassguard is a supplement to a block paved driveway for occasional parking. No planning permission required – Grassguard deals with rainfall run off in a sustainable way and retains all the environmental benefits of a natural grassed area.

	Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colour	Order Select
Single Size Pack	500 x 300 x 100	64	6.67	9.6	Earth Brown	√ *

^{*}Order select minimum, one 500x300x100 piece

1: GRASSGUARD, Earth Brown




This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P 172-174 or website.









Stabilising permeable driveway grid

This new Drivegrid System includes an improved high quality, premium grid that holds and stabilises gravel driveways and paths and a Geotextile to help prevent weed growth. Rainwater will run through the cells and into the ground below, so no planning permission is required and the choice of 6-10mm decorative aggregate is perfect for traditional or contemporary schemes.

System Pack	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
Stabiliser Grid	330 x 330 x 40	108		Black	√ *
Geotextile Membrane	2250 x 6000	1	11.76	White	
Aggregate	Bulk	1	Golden Blend 10m Multi Flint Spar Sea Washed 10mr		

*Order select minimum, one $330 \times 330 \times 40$ piece



2: Geotextile



Aggregate, Golden Blend 10mm. Edged with DRIVESETT ARGENT Edging, Light (LT) and DRIVESETT TEGULA, Pennant Grey (PG)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P 172-174 or website.








Traditional Driveways

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.









Also available as:
Coping

Edging **E**

Paving P

Walling W



11. DRIVESETT DUO, Heather — p162





Traditional Driveways

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.





22. DRIVESETT TEGULA ORIGINAL, Autumn — p158, 160



25. DRIVESETT DUO, Cinder — p162



20. DRIVESETT NATRALE, Bronze — p164



23. DRIVESETT TEGULA ORIGINAL, Traditional — p158, 160 KW



26. DRIVELINE ELISE, Brindle — p165



| 21. STANDARD BLOCK PAVING, Bracken — p166



24. DRIVESETT DECO, Traditional — p163



27. DRIVESETT DECO, Cinder — p163



28. STANDARD BLOCK PAVING, Brindle — p166



31. DRIVESYS CLASSIC PAVER, Abbey Blend — p156



39. DRIVESETT DUO, Terracotta — p162



32. DRIVESYS CLASSIC PAVER, Manor Red — p156



30. DRIVESETT DECO, Terracotta — p163



33. STANDARD BLOCK PAVING, Red — p166



Key

Also available as:


Kerb K

Walling

IN.

f

@







Superb traditional sandstone driveways

Natural stone driveway setts produced from specially selected Indian sandstone, featuring a naturally split stone to give a delicate riven profile to the surface of the setts. Hand selected for colour consistency, available in a range of sizes to create truly outstanding traditional driveways.

	Sizes mm (nominal)	No. items /pack	m²/pack**	Colours	Order Select
Split & Tumbled	100 x 100 x 50	800	10		
Setts	200 x 100 x 50	400	9.5	AB	√ *
Sawn & Tumbled Setts	200 x 100 x 50	480	10	SB	

^{*}Order Select minimum quantity 1m²

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

- 1: DRIVEWAY SETTS, Sawn & Tumbled, Autumn Bronze (AB)
- 2: DRIVEWAY SETTS, Sawn & Tumbled, Silver Birch (SB)
- 3: DRIVEWAY SETTS, Split & Tumbled, Autumn Bronze (AB)
- 4: DRIVEWAY SETTS, Split & Tumbled, Silver Birch (SB)

 ${\it Main image: NATURAL\ STONE\ SETTS, Sawn\ and}$ Tumbled. Silver Birch (SB) mixed Autumn Bronze (AB)

Designed and Installed by Oakley Landscapes Ltd,

Secondary image: NATURAL STONE SETTS, Mixture of Split & Tumbled Autumn Bronze (AB) and Silver Birch (SB)









^{**}Assumes nominal 15mm joint width

P







- 1: DRIVESYS ORIGINAL COBBLE, Basalt (B)
- 2: DRIVESYS ORIGINAL COBBLE, Iron Grey (IG)
- 3: DRIVESYS ORIGINAL COBBLE, Canvas (CN)

All the charm and elegance of reclaimed stone

Drivesys Original Cobble creates a realistic antiqued cobbled stone look with all the benefits of an engineered concrete driveway system, providing an elegant and timeless reclaimed stone look. Use as single colour finish or blend a variety of colours, to enhance the charm of any home. Co-ordinating roundtop edges are available.

	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours
	215 x 130 x 60	80		
	165 x 130 x 60	40		B IG
Mixed Size Pack	130 x 130 x 60	40		
	185 x 130 x 60	40		CN
	145 x 130 x 60	40		
Ready Mixed Jointing	15kg	3		GREY
Total Pack		240	5.46	

 $Please \ note: Drivesys \ pack \ sizes \ may \ be \ subject \ to \ change. \ Please \ call \ Marshalls \ on \ 0345 \ 3040 \ 707 \ for \ more \ information$



To complete every Drivesys driveway, each pack is supplied with the right amount of ready mixed jointing compound, minimising fuss and number of deliveries.

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated blocks may appear lighter

Main image: DRIVESYS ORIGINAL COBBLE, Iron Grey (IG) & Canvas (CN) Random Mix. DRIVELINE DRAIN, Charcoal (CH) Designed and installed by D Plumridge Professional Driveway & Patio Construction, Sutton

Secondary image: DRIVESYS ORIGINAL COBBLE, Basalt (B) edged with DRIVESYS ORIGINAL COBBLE,

Canvas (CN) Designed and installed by Yorkshire Pro-Paving & Groundworks Ltd, Otley

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website

www.marshalls.co.uk prior to installation.







Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers





High strength, high quality authentic style

Drivesys Classic Paver is a replica clay product made in high strength concrete for durability and ease of installation. A variety of realistic face profiles reflect the character of original kiln fired pavers resulting in truly authentic style. Two traditional colours are designed to be laid individually or as a coordinating blend.







Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers

To complete every Drivesys Classic Paver driveway, each pack is supplied with the right amount of ready mixed narrow jointing compound, minimising fuss and number

	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours
Single Size Pack	200 x 100 x 60	250		MR AB
Drivesys Narrow Jointing Compound	15kg	2		BUFF
Total Pack			5	

Please note: Drivesys pack sizes may be subject to change. Please call Marshalls on 0345 3040 707 for more information

NEW

- 1: DRIVESYS CLASSIC PAVER, Manor Red (MR) 2: DRIVESYS CLASSIC PAVER, Abbey Blend (AB)
- Main image: DRIVESYS CLASSIC PAVER, Manor Red (MR). Edged with DRIVESETT ARGENT Driveway Edging, Dark (D)

Secondary image: DRIVESYS CLASSIC PAVER, Abbey Blend (AB) and Manor Red (MR) random mix


Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated blocks may appear lighter in colour.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P 172-174 or website.









Britain's most popular traditional block paving

The original and most popular traditional block paving in the UK, renowned for its lasting performance, offering a classic, high quality driveway. Designed to create an established, timeworn appearance, with a variety of block sizes and rich, traditional colour blends. With co-ordinating kerbs, walling and circle features available, Drivesett Tegula Original really is the complete package.

Single Size Packs	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours
Jumper	320 x 240 x 50	108	8.29	TR
Large	240 x 160 x 50	284	10.91	H PG
Medium	160 x 160 x 50	426	10.91	HA A
Small	120 x 160 x 50	606	11.64	"









2: DRIVESETT TEGULA ORIGINAL, Harvest (H)

1: DRIVESETT TEGULA ORIGINAL,

3: DRIVESETT TEGULA ORIGINAL,

Traditional (TR)

Pennant Grey (PG)

Main image: DRIVESETT TEGULA ORIGINAL blend of

Traditional (TR) and Harvest (H) Secondary image: DRIVESETT TEGULA ORIGINAL,

Autumn (A) edged with DRIVESETT TEGULA ORIGINAL, Pennant Grey (PG) and DRIVESETT KERB, Pennant Grey (PG)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P 172-174 or website.





Britain's most popular traditional block paving

Drivesett Tegula Orignal is also available in 9.73m² Project Packs, which contain the perfect proportion of block sizes to achieve a balanced look. Project Packs are ideal for easily calculating the correct number of packs to order with a minimum of waste. Available in the three most popular Drivesett Tegula Orignal colours.

Р	roject Packs	Sizes mm (nominal)	m²/pack	Colours	
L	arge	240 x 160 x 50		TR	
N	Medium	160 x 160 x 50	9.73	Н	
S	mall	120 x 160 x 50		PG	



- 1: DRIVESETT TEGULA ORIGINAL, Traditional (TR)
- 2: DRIVESETT TEGULA ORIGINAL, Harvest (H)
- 3: DRIVESETT TEGULA ORIGINAL, Pennant Grey (PG)

Main image: DRIVESETT TEGULA ORIGINAL, Pennant Grey (PG). Edged with DRIVESETT KERB, Pennant Grey (PG). DRIVELINE DRAIN, Charcoal (CH) Designed and Installed by Jason Clarke Classic Paving, Cheshire

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.


For more product notes see P 172-174 or website.








Tegula is a trademark of SF Kooperation GmbH



The classic focal point

The perfect feature to create a truly individual driveway. This versatile circle can be incorporated as a focal point or used to break up uniformity in larger block paved areas. High quality, classic look and performance, with an attractive aged appearance and carefully matched colour choices.

	Sizes mm (nominal)	m²/ pack	Colours
Circle Pack (2.6 dia.)	2600	5.3	TR PG



- 1: DRIVESETT TEGULA CIRCLE, Traditional (TR)
- 2: DRIVESETT TEGULA CIRCLE, Pennant Grey (PG)

Main image: DRIVESETT TEGULA CIRCLE, feature and linear bands in Pennant Grey (PG). Set within DRIVESETT TEGULA ORIGINAL Driveway in Traditional (TR).









This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.



Mellow and traditional blended colours





Each block is reversible allowing individual design mixtures.

An attractive dual faced block featuring a different but complementary colour on each side, facilitates creating colour blends or bespoke designs within the area of the driveway. Classic, timeworn appearance and different block sizes create a mellow, traditional look that coordinates perfectly with Drivesett Walling and Kerbs.

MID RANGE

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
	240 x 160 x 50	280	10.76	CI	
Single Size Pack	160 x 160 x 50	420	10.76	T, HTHR	✓*
rack	120 x 160 x 50	560	10.76	C	




- *Order Select minimum 1m² in single sizes
- 1: DRIVESETT DUO, Cinder (CI)
- 2: DRIVESETT DUO, Terracotta (T)
- 3: DRIVESETT DUO, Heather (HTHR)
- 4: DRIVESETT DUO, Cotswold (C)

Main image: DRIVESETT DUO, Heather (HTHR)/ Cotswold (C) mix. Edged with DRIVESETT DECO, Cotswold (C) border and DRIVESETT KERB, Pennant Grey (PG)

Design and Installation by B H Building, Grantham

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website $www. marshalls. co. uk\ prior\ to\ installation.$

For more product notes see P 172-174 or website.



Rustic and traditional cobbled effect

Create a traditional cobbled effect with these smaller rustic blocks, offering an elegant aged appearance and a choice of rich colour blends. Drivesett Deco is suitable for use as driveway, edging feature or path, co-ordinating beautifully with many other Marshalls paving and driveway products.


	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours	Order Select
Single Size Pack	110 x 110 x 50	882	10.67	TR T C CI	√ *

*Order Select minimum 1m²









- 1: DRIVESETT DECO, Traditional (TR)
- 2: DRIVESETT DECO, Terracotta (T)
- 3: DRIVESETT DECO, Cotswold (C)
- 4: DRIVESETT DECO, Cinder (CI)

Main image: DRIVESETT DECO, Traditional (TR) edged with DRIVESETT KERB, Traditional (TR) and DRIVESETT DECO, Costwold (C)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.







Combining practicality with design choice

Drivesett Natrale uses realistic split stone face profiles to provide a cost effective, hard wearing and practical alternative to natural stone driveways. The varied selection of block sizes and warm colour mixes can be used to create attractive random designs.

MID RANGE BRITAL

	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours	Order Select
	240 x 160 x 50	300	11.52	В	
Single Size Pack	160 x 160 x 50	420	10.75	S	√ *
· acr	120 x 160 x 50	540	10.37	SL	

*Order Select minimum 1m2 in single sizes




- 1: DRIVESETT NATRALE, Bronze (B)
- 2: DRIVESETT NATRALE, Sand (S)
- 3: DRIVESETT NATRALE, Slate (SL)

Main image: DRIVESETT NATRALE, Bronze (B)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P 172-174 or website.



Elegant larger blocks for texture and interest

Create impact and effect with this larger size block featuring a subtle hammered texture designed to add interest to all driveway areas. The single large block size will suit almost any style of home, enhancing the appeal of every property.

	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours
Single Size Pack	300 x 150 x 50	204	9.18	BRI PB



- 1: DRIVELINE ELISE, Brindle (BRI)
- 2: DRIVELINE ELISE, Pebble Grey (PB)

Main image: DRIVELINE ELISE, Brindle (BRI), edged with TEGULA KERB, Pennant Grey (PG). DRIVELINE DRAIN, Charcoal (CH) Design and installation by Leading Landscapes Ltd, Linford, Essex









f



Attractive and long lasting driveway solutions

Budget block paving offers a more attractive, practical and longer lasting option than resin or asphalt alternatives. Available in a range of colours to create a durable driveway solution. And where a more premium finish is required, consider Driveline 50 for a top quality smooth, contemporary finish.

	Sizes mm (nominal)	No. items/ pack	No/m²	m²/ pack	Colours
Single Size Pack	200 x 100 x 50	488	50	9.76	BRI R CH BRA SR B




- 1: STANDARD BLOCK PAVING, Brindle (BRI)
- 2: STANDARD BLOCK PAVING, Red (R)
- 3: STANDARD BLOCK PAVING, Charcoal (CH)
- 4: STANDARD BLOCK PAVING, Bracken (BRA)
- 5: STANDARD BLOCK PAVING, Sunrise (SR)
- 6: STANDARD BLOCK PAVING, Buff (B)

Main image: STANDARD BLOCK PAVING, Bracken (BRA), edged with Charcoal (CH) Installed by James Bird Landscapes Ltd, Sheffield

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see P 172-174 or website.






Subtle control for water run off

Driveline Drain concrete linear drainage controls normal water run off from driveways and paving with no requirement for planning permission. Marshalls Driveline Drain is available in charcoal, designed to coordinate with any paving or driveway product design in our range.

Driveline	Sizes mm	No. items/	Linear m/	Colours	Order
Drain	(nominal)	pack	pack		Select
	150 x 100 x 165 68 Diameter	256	25.6	CH	√ *

*Order select minimum, one piece





- 1: DRIVELINE DRAIN, Charcoal (CH)
- 2: Rodding Box & Access Lid
- 3: Blanking Plug
- 4: Silt Trap
- 5: Connector Plate

Accessories are also available for a complete installation – your drain run length will depend on the accessories you need.
See installation guide for the full details.

Main image: DRIVELINE DRAIN, Charcoal (CH), Paving, DRIVELINE METRO, Light Grey (LG)

It is essential that the Driveline Drain installation guide is followed, to order a copy call the Marshalls Technical Advisory Service on 0370 411 2233.

For more product notes see P 172-174 or website.



f




Designed for versatility and practicality

Essential to the look and practicality of every project, Keykerb large and small blocks are designed to work as a barrier or restraint between soft landscaping or decorative aggregates and all types of driveway and paving. Available in different profiles and a choice of three colours.





Bullnosed Half Battered Keykerb Small (KS)



Splay

Keykerb Large (KL)	Linear m/pack	Colours
Standard (Dual purpose bullnosed and half battered)	25.2	
Radial Bullnosed (Dual purpose internal/ external)	7.2	
90° Angle Internal (half battered)		
90° Angle External (half battered)		C R BR
Radial. Half battered (Dual purpose internal/external)	7.2	
90° Angle Internal (bullnosed)		
90° Angle External (bullnosed)		

Keykerb Small (KS)	Linear m/pack	Colours
Standard (Dual purpose bullnosed and splay	37.8	
Radial. Splay (Dual purpose internal/ external)	10.8	
90° Angle Internal Splay		
90° Angle External Splay		C R BR
Radial. Bullnosed (Dual purpose internal/ external)	10.8	
90° Angle Internal (bullnosed)		
90° Angle External (bullnosed)		

KEYKERB LARGE (KL), Charcoal (CH), with DRIVELINE CHANNEL, Charcoal (CH)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p172-174 or website.





MARSHALLS BLOCK KERB

Versatile, easy to use block kerb

	Sizes mm (nominal)	No. items/ pack	Colours	
TEGULA KERB				
Standard Tegula Kerb	130 x 160 x 250	120 60		
Radial Internal & External	130 x 160 x 96 x 250	60	TR PG	
Return Internal & External	160 x 160 x 250 1		PG	
DRIVESETT KERB				
	120 x 80 x 240	192	TR PG H	
4-in-1 KERB				
Driveline	100 x 100 x 200	240	BRI CH	
Drivesett	100 x 100 x 200	240	PG	

Provides attractive restraining edges for driveway and paving projects. These products can be laid easily to retain different shapes and orientations.

These products come with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p172-174 or website.

Driveline 4-in-1 Kerb, Brindle (BRI)



Drivesett 4-in-1 Kerb, Pennant Grey (PG)



Driveline 4-in-1 Kerb, Red (R)



Drivesett 4-in-1 Kerb, Pennant Grey (PG)











Designs to complement all garden styles

Contemporary edge restraints designed to complement the full range of Marshalls paving and driveway products. Drivesys Roundtop perfectly complements the Drivesys and Pavesys ranges.

Drivesett Argent has the same premium granite look as the Drivesett Argent range but can add a contemporary finish to any project.

 CO_2/M^2

	Sizes mm (nominal)	No. items/ pack	Linear m/pack	Colours	Order Select
Driveway Edgings					
Drivesys Roundtop	915 x 150 x 60	40	36.6	В	
Drivesett Argent	915 x 150 x 63	48	43.92	N LT DK	•

*For Order Select minimum quantities see page 178



- 1: DRIVESYS ROUNDTOP Edging, Basalt (B)
- 2: DRIVESETT ARGENT Edging, Natural (N)
- 3: DRIVESETT ARGENT Edging, Light (LT)4: DRIVESETT ARGENT Edging, Dark (DK)

Left image: DRIVESYS ROUNDTOP Edging, Basalt (B) with DRIVESYS ORIGINAL COBBLE, Iron Grey (IG)
Right image: DRIVESETT ARGENT Edging,
Natural (N) with DRIVESETT ARGENT, Dark (D),
DRIVESETT ARGENT, Buff (B)

These products come with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk prior to installation.

For more product notes see p172-175 or website





	Sizes mm (nominal)	No.items/pack	Linear m/pack	Colours
Channels				
Drivesett Channel	200 x 200 x 65	80	16	PG
Driveline Channel	200 x 200 x 65	240	48	BRI CH

DRIVELINE CHANNEL, Brindle (BRI)

DRIVESETT CHANNEL, Pennant Grey (PG)

Simple but effective security device, can be used both in front of the garage and at the driveway entrance to deter theft

		No. item/pack	Weight (kg/pack)	Colours
-	Telescopic Security Post	1	22	Black, Yellow, Stainless Steel





Marshalls Joint Filling Sand -Available in Red and Golden

Marshalls Joint Filling Sand is a special kiln dried sand suitable for use with all types of block paving.

Coverage

coverage			
Paving thickness	50mm	60mm	80mm
Joint sand	6-8m ²	15-65m²	3 5-5 52

These products come with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our

website www.marshalls.co.uk prior to installation.

For more product notes see p172-175 or website





f

Driveway Notes

General Driveway Notes

- All Marshalls driveway products in this brochure are designed for domestic vehicles only, they are not designed for commercial vehicles
- Driveways must be installed with edge restraints for stability
- Driveways must be installed in accordance with current legislation to manage and control water run-off

Natural Stone Driveway Products

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone Guarantee. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources (see page 5 for more information)
- All Marshalls sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard
- Due to the nature of this product, you may see some colour variation in natural stone products

Marshalls Concrete Driveway Products

- When laying block paving products, for an even colour blend ensure blocks are taken from a number of packs. Also taking blocks from vertical rather than horizontal layers will ensure good colour blend
- Marshalls concrete block paving is manufactured in different factories. Colour may vary slightly across these works of manufacture
- Marshalls can supply kiln dried sand, contact your local service centre for more information.

For specific Installation Guides or if you are laying any Marshalls Driveway materials for the first time, please contact Marshalls Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk for installation advice.

p127

CROPPED GRANITE SETTS

- Natural granite cubes, ideal for pathways, driveway entrance strips or borders
- This product can be used for driveways, but Marshalls Installation Guidelines must be carefully followed
- Please note Marshalls WeatherPoint is not suitable for use with this product

p128

DRIVESETT ARGENT

- A textured, concrete driveway product with attractive exposed granite aggregates
- This product co-ordinated perfectly with Drivesett Argent Edgings, see p170, Argent Paving p42 and Argent Walling p92

p130

DRIVESETT SAVANNA

· A smooth concrete driveway product

p132

DRIVELINE METRO

- A textured, concrete driveway product with attractive exposed granite aggregates
- Driveline Metro can be a single colour driveway, or you can purchase a number of different colour packs to create a unique effect










GRASSGUARD

- A permeable concrete grid, driveway system
- Ideal for occasional car parking spaces, but due to its nature it is not as even as other concrete block paving products, so extra care must be taken when walking over areas in high heels
- Manages rainfall run off in a sustainable way and does not require planning permission when installed correctly
- The Grassguard grid allows grass to grow through the blocks, providing a green option for parking





p147

NEW DRIVEGRID

- A composite permeable grid system, which is filled with gravel to create a car parking area or pathway
- When using this product it is essential that the area is framed with an edge restraint for stability
- For best aesthetic looks Marshalls recommends using a driveway entrance strip
- All components available as a system, delivered direct to site

p164 DRIVESETT NATRALE

 A riven textured, concrete driveway product available in a number of sizes

p165 DRIVELINE ELISE

A distinctive, concrete driveway products with a hammered granite texture

STANDARD BLOCK PAVING

 A standard block paving product, made in different factories in England, Scotland and Wales therefore variations in colour and tone may occur

p118, 120,

DRIVESYS RIVEN, SPLIT & FLAMED STONE

- A premium, concrete driveway product which has a patented base design to automatically create the right size joint
- Drivesys is available in a number of sizes, colours and finishes
 Sufficient and appropriate jointing compound is delivered with
- every order
 Drivesys blocks come with a shiny protective transportation seal which quickly wears off to reveal the slightly lighter true colour
 Drivesys Jointing Compound is guaranteed for a period of 12
- months or 2 years if the customer has purchased a Marshalls Register Hard Landscaping Guarantee
 • It is essential that the 'Drivesys Installation Guide' is followed, to
- order a copy call the Marshalls Technical Advisory Service
 It is recommended that Drivesys is installed by a Marshalls
 Register member
- For coordinating Drivesys Roundtop Edging see p170
- Marshalls recommends that Drivesys Jointing Compound is always used with this product for structural stability

p124

MAGNASETT

- A blended mix of premium stone
- Please note due to the nature of this product significant variation between stones can occur
- The use of the correct installation method is critical for this product, please contact Marshalls Technical Advisory Service for more information

n126

NATURAL STONE DRIVEWAY SETTS

- A premium stone driveway product
- Please note due to the nature of this product significant variation between stones can occur
- For a co-ordinated natural stone look try Natural Stone Walling, p88, p94, Stone Steps p44
- The use of the correct installation method is critical for this product, please contact Marshalls Technical Advisory Service for more information
- For paths and edging smaller quantities can be ordered via the Order Select service, see p178

p127

NEW SAWN GRANITE SETTS

- A contemporary, linear natural stone driveway product
- Please note due to the nature of this product significant variation between stones can occur
- The use of the correct installation method is critical for this product, please contact Marshalls Technical Advisory Service for more information
- Please note Marshalls WeatherPoint is not suitable for use with this product

p134 DRIVELINE 50

A facemix driveway product with a smooth surface

Common to all Priora Driveways:

- The Priora design drains water away safely in heavy rainfall without burdening the community drainage system
- If installed with the correct sub-base this permeable paving solution can be used in a front garden without obtaining planning permission
 Specific installation guidance must be followed
- The Priora System should not be attempted by the DIY enthusiast or untrained installer. It requires the careful calculation of a soil permeability test and appropriate use of specially graded sub-base aggregates.** Should an installer wish to undertake training for the installation of this product please call the Marshalls Helpline on 0345 820 5000 for further information.

Visit the Marshalls website to find your nearest Marshalls Register Installers trained to install Priora Systems, or call 0345 820 5000

p140

DRIVESETT ARGENT PRIORA

- An attractive, yet sustainable concrete driveway product with attractive exposed granite aggregates
- This product co-ordinates perfectly with Drivesett Argent Edgings, see p170, Argent Paving p42 and Argent Walling p92

p142

DRIVESETT TEGULA PRIORA

A sustainable concrete driveway product, with a traditional look

p144

DRIVELINE PRIORA

A sustainable concrete driveway product, available in a broad variety of colours

p152

NATURAL STONE DRIVEWAY SETTS

- A premium stone driveway product
- Please note due to the nature of this product significant variation between stones can occur
- For a co-ordinated natural stone look try Natural Stone Walling, p88, p94. Stone Steps p44
- The use of the correct installation method is critical for this product, please contact Marshalls Technical Advisory Service on 0370 411 2233 for more information
- For paths and edging smaller quantities can be ordered via the Order Select service, see p178

p154, 156

DRIVESYS ORIGINAL COBBLE & CLASSIC PAVER

- A premium, concrete driveway product which has a patented
- base design to automatically create the right size jointDrivesys is available in a number of sizes, colours and finishes
- Sufficient and appropriate jointing compound is delivered with every order
 Drivesys blocks come with a shiny protective transportation
- seal which quickly wears off to reveal the slightly lighter true colour
 Drivesys Jointing Compound is guaranteed for a period of 12 months or 2 years if the customer has purchased a Marshall's
- Register Hard Landscaping Guarantee
 It is essential that the 'Drivesys Installation Guide' is followed, to order a copy call the Marshalls Technical Advisory Service,
- It is recommended that Drivesys is installed by a Marshalls Register Member
- For coordinating Drivesys Roundtop Edging see p170
- Marshalls recommends that Drivesys Jointing Compound is always used with this product for structural stability

p160

O DRIVESETT TEGULA

- A traditional look, concrete driveway product, perhaps Britain's preferred choice of driveway for the past decade and still a perfect option
- Why not try co-ordinating walling and edging see pages 97 & 169

p162

DRIVESETT DUO

- A unique traditional look, concrete driveway product,
- Each block is reversible, which a defined colour blend on each side, allowing individual design mixtures.

p163

DRIVESETT DECO

- A smaller traditional look, concrete driveway product, ideal for driveways
- This product can also be used for pathways, driveway entrance strips or borders

p167 NEW DRIVELINE DRAIN

Driveline Drain concrete linear drainage controls normal water run off from driveways and paving with no

- requirement for planning permission
 Available from Q2 2017
- Accessories are also available for a complete installation,
- Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Marshalls Technical Advisory Service

p168-169

KEYKERB,TEGULA & DRIVESETT KERB

- Large or small kerb is the foundation of any successful driveway installation
- Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Marshalls Technical Advisory Service

p170

DRIVEWAY EDGINGS

- Perfect edge restraints for driveways, either smooth, round top in Basalt colour, ideal for the Drivesys range or granite looking textured units in Grey or Buff for any other Marshalls Driveway
- Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Marshalls Technical Advisory Service





PRIORA Conditions and Guidelines for Use

CONDITIONS REQUIRED FOR PRIORA

The grade of Priora featured in this brochure is only intended for normal domestic vehicles and pedestrian traffic, though occasional delivery vehicles over 3.5 tonnes gross weight can be tolerated.*

The Domestic Priora System is only intended for driveways or paths where infiltration is required only in the immediate Priora paved area and not from other surrounding paved or roofed areas (see rainwater catchment area guideline opposite).

In some parts of the country there are ground conditions where infiltration could adversely affect foundations to houses, therefore, if in doubt seek advice from a specialist or the local authority building control department.

Properties constructed pre 1920 may not have been built on traditional concrete foundation, therefore in this case, Marshalls Domestic Priora System should not be installed.

Check for services, Priora must not be installed if gas or electric services run through intended Priora areas.

Priora is a trademark of UNI-International Bausysteme GmbH

GUIDELINES FOR INSTALLING PRIORA

Surface Gradient

The intended Priora area must fall away from the owner's house and any other buildings in the immediate vicinity.

If the driveway exceeds 20m in length and/or has a gradient greater than 1 in 100 then please contact Marshalls Technical Advisory Service.*

The top surface of the driveway should finish at least 150mm below any adjoining wall DPC level.

Existing Foundations

If your house lies adjacent to or less than 600mm from the proposed Domestic Priora driveway area, establish depth of house foundation before undertaking any soil test/Priora installation. The house foundation top surface must be 600mm (minimum) below the finished level of the top of the proposed Priora driveway.

Soil Strength and Permeability

Marshalls Domestic Priora System must be laid on a subgrade which has previously had an established and adequate existing driveway and an area which has a subgrade soil strength greater than 5%.

The Domestic Priora System is only suitable for soil areas where infiltration applies and the test criteria have been met as per the standard permeability test.

For the standard permeability a test hole should be dug for every 20m² of driveway. There should be a minimum of two holes. Holes/pits should be spaced evenly in relation to the proposed Priora area.*

Discharge onto Roadway

The Domestic Priora area must not discharge onto surrounding public roadway and pathways and towards any buildings.

Rainwater Catchment Area

No adjoining surface areas (rainwater pipes, roof areas, etc) must drain onto and into the proposed Domestic Priora driveway area, however, small areas such as door steps and garage areas are acceptable providing they do not exceed 5% of the driveway area.

Guideline: Catchment area** = driveway area **Catchment area = drained surface area

Aggregates

Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN13242 and BS EN12620 to

Properties	BS EN13242 & 12620 Specification
Grading	
Fines content	f ₄
Shape	Fl ₂₀
Resistance to fragmentation	LA ₃₀
Durability	
- Water abs to BS EN1097-6: 2000, Clause 7	WA ₂₄ 2
- For WA≥2%, magnesium sulphate soundness	MS ₁₈
Resistance to wear	M _{OE} 20
Acid-soluble sulphate content	AS ₀₂
Total sulphur	≥ = 1% by mass

*Should you require a more detailed discussion on the intended use of the area, advice is available from the Technical Advisory Service on 0370 441 2233.

Trees

When installing in close proximity to existing trees, tree roots smaller than 25mm diameter may be pruned back, preferably to a side branch, using a suitable pair of secateurs or hand saw. Roots larger than 25mm should only be severed following consultation with an arboriculturist, as they may be essential to the tree's health and stability. Protection of the pavement will also be required, hence the requirement of a permeable root barrier system such as the Geoweb bio barrier system (www.Fiberweb.com) or similar which is non surface protruding, and therefore, does not present a trip hazard once installed.

Health and Safety

It is possible that more excavation for a Priora driveway may be required than that of a driveway constructed of traditional block paving, therefore, care must be taken when excavating ground to a deeper level. Particular care must be taken to protect the sites from children and partially sighted persons and for collapse of adjoining features such as boundary

Check for services, if they run through intended Priora areas, the service provider must be consulted before

Care must be taken when constructing over sewer, rainwater pipes and water pipes to ensure that the services remain supported for their full length by undisturbed material and are surrounded on the remaining sides by a minimum of 150mm of 6mm material to protect the service.



Important General Technical Information

Efflorescence

All concrete products may, in their early life, appear to lose some intensity of colour and experience a milky-white stain on the face of the product. This is efflorescence staining. It is a temporary phenomenon and is in no way detrimental to the performance of the material and responsibility cannot be accepted for its occurrence. Clay products may also suffer from a temporary white stain called efflorescence. This is quite different from efflorescence in concrete products and is caused by soluble salts within the clay being transported by water to the surface as they dry out. Responsibility cannot be accepted for its occurrence. For further information on efflorescence staining in both clay and concrete products, please call the Technical Advisory Service Tel: 0370 411 2233.

Other Weathering

Weathering and site conditions can occasionally cause other variations in shade to appear. Differential weathering can cause patchy dark discolourations on the surface of individual units. Again this will generally diminish over time and will not affect long term performance. Natural stone may develop added marking, deposits or patches as mineral content oxidises. All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant-life; specialist maintenance advice may need to be sought.

Marshalls cannot accept responsibility for any of the above conditions.

Maintenance

Paving materials require periodic cleaning to maintain their appearance. Regular sweeping to prevent the build-up of detritus is recommended.

Light coloured blocks, whilst structurally sound for driveway use, do emphasise tyre marks and oil spills on the driveway. It must be accepted that these products will need more maintenance if the overall appearance is to be maintained.

Proprietary cleaning agents are widely available. However care should be taken when buying cleaning agents as some varieties contain a concentration of acid, which can adversely affect the appearance of concrete products, clay and natural stone.

A trial on a small section of paving is always recommended prior to using on the full area.

For general cleaning of dirt and algae, vigorous brushing with a stiff yard broom with plenty of hot detergent solution (washing up liquid or non-

For pavements subject to frequent overrun of heavy vehicles, block paving from our commercial/specification range should be used. These are detailed in separate literature, copies of which are available on request by telephoning: 0370 411 2233. Should customers be in doubt as to the suitability of any Marshalls product for a given application, please obtain guidance from our Technical Advisory Service Tel: 0370 411 2233.

Colour Variation

The colours shown in this literature are as exact as photographic and printing processes will allow. We strongly recommend that colours are judged and chosen from actual materials rather than photographic representation depicted herein. Although every effort is made to ensure consistency of product colour, variations between production batches can occur. We therefore recommend that, when purchasing materials, especially in the case of larger quantities, they all come from the same batch and that products are thoroughly mixed on site by drawing from a minimum of three packs.

Availability

Details of pack contents are listed for the guidance of stockists. Stockists are usually prepared to split full packs for sale in any quantity. Product dimensions and weight, etc. are nominal and subject to manufacturing tolerances.

*Patented Paving System

Priora is patented in UK and EP079168931.

Natural Stone

Silver Birch and Antique Silver Multi like all natural stone sandstone products vary with differing geological conditions. Such variations can lead to small particles of ironstone within the product creating a darkening of the surface with natural weathering. Being pale in colouration, this natural weathering is more obvious with Silver Birch and Antique Silver Multi as against the other natural stones in the Marshalls range.

Staining

Certain common garden chemicals such as Ferrous Sulphate can stain paving. Please check the information given on the container holding the chemical. If chemicals are spilt on the paving remove immediately by rinsing away with clean water.

Hard Landscape Guarantee Conditions

Marshalls products are manufactured to the highest standards. The Hard Landscape Guarantee is only available for domestic projects installed by a Marshalls Register Installer where a guarantee has been purchased; the cost of the guarantee is £50 (+VAT) per £5000 of the installed value. The Hard Landscape Guarantee can only be issued by Marshalls upon receipt of a correctly completed Guarantee Request Form and the relevant fee. The Hard Landscape Guarantee covers Marshalls branded products for ten years and the workmanship of the installation undertaken by a Marshalls Register Installer for five years. This guarantee is offered as an additional benefit by Marshalls and in no way affects any parties' statutory rights.

The house owner is responsible for applications for any relevant planning permission. Marshalls do not accept liability for application of planning permission on any project covered by the Marshalls Hard Landscape Guarantee or otherwise.

In the unlikely event of products reaching you in less than satisfactory condition, you should notify the stockist immediately with details of the product and batch codes printed on the packaging. In addition to this, responsibility for costs incurred for uplifting and relaying defective products may be prejudiced if, upon reasonable inspection, the defect ought to have been apparent prior to laving.

Pendle, Leyburn, Textured Utility, Utility and Richmond pavings are intended to serve the 'budget' end of the market and as such should not be confused with premium products such as Heritage or Coach House. In addition to this, because of their limited protection in transit, there is a significant probability of pavings bearing scratch marks to the face. Due to local manufacturing, precise colours and face finishes may vary and it is recommended that pavings from different factories are not mixed on site. Pendle, Leyburn, Textured Utility, Utility and Richmond therefore fall outside the scope of The Hard Landscape Guarantee.

bio washing powder), thoroughly rinsed with clean water should suffice. Repeated treatment may be required for paved areas sited beneath trees or in permanent/near permanent shade. In certain circumstances, prolonged contact with wet leaves can result in staining of the paved area. Such contact should be avoided wherever practical.

Power-washing

Power-washing with high-pressure equipment is not normally required. Should these methods be employed, the following precautions should be observed:

- Paving should be thoroughly swept to remove detritus (loose debris) that could act as an abrasive agent when moved by the force of a power jet.
- ii. A trial area should be tested before larger scale power-washing takes place.
- No more than a medium pressure should be applied when washing paving.
- iv. The power-washing lance should be held at an oblique angle to the paving and at least 200mm (8") from the surface.
- If excess sand is washed from the joints during the washing exercise, it is important that the joints are re-sanded with similar materials upon completion.
- vi. If mortar joints between pavings are damaged during power-washing they should be re-pointed/made good with fresh pointing as required, to maintain the integrity of the paving.

Weatherpoint 365 Terms & Conditions

For full terms and conditions please visit Marshalls website at: www.marshalls.co.uk/weatherpoint

Suitability/Application

The paving flags illustrated in this literature are primarily intended for domestic/landscape use only.

Paving flags suitable for areas subject to intense foot traffic, i.e. pedestrian precincts and commercial applications, etc. are detailed in separate literature. This literature is available on request by telephoning: 0370 411 2233.

For areas subject to vehicular overrun (driveways, parking areas, etc.), block paving products are recommended, (see pages 118-166). The block paving products illustrated in this literature are intended for pedestrian and light vehicular overrun applications (driveways and similar).

Marshalls Commitment to Quality & Innovation

Marshalls is committed to innovative product development and manufacture. To help you obtain maximum enjoyment and long service from any Marshalls product, we would be pleased to make you aware of the following:

The evolution of new product design is continuous and information is subject to change without notice. Customers should check with the stockist to ensure that they have the latest details.

All Marshalls products are manufactured to the appropriate European Standard where applicable. Where products (or intended usage) lie outside the scope of a British (or European) Standard, Marshalls own standard will be employed. All products are supplied subject to Marshalls Standard Conditions of Sale, a copy of which is available on request. Liability in respect of any statements, conditions, warranties and representations made on behalf of the Company is limited in accordance with the terms set out in the Standard Conditions of Sale.

Health and Safety

Care should be taken when handling and installing Marshalls products. Guidelines on the Control Of Substances Hazardous to Health (COSHH) are available for all Marshalls products, either through our website, www.marshalls.co.uk/homeowners or from Marshalls Technical Advisory Service. Tel: 0370 411 2233.

Marshalls Register

Marshalls Register of installers are regularly inspected to ensure they comply with the membership agreement. Marshalls are not a party to the contract between the Registered installer and the customer. Marshalls cannot be held responsible for any installation undertaken by a Marshalls Register installer.

Register Installer

Details of membership are available from Marshalls Register support team on 0345 820 5000.



Design & Artwork by DMD Design & Marketing Tel: 01422 371633

Post production by Creative Frenzy Ltd, Tel: 0845 050 1590 www.creativefrenzy.co.uk



Order Select

When designing your garden or driveway there may be times when you do not need a full pack of product, for example when:


- · Finishing an area of paving
- · Creating a decorative border
- · Adding to an existing project

Marshalls unique 'Order Select' service means that your Marshalls stockist can order less than full-pack quantities for most of the products in this brochure. You can ask your installer to use Order Select, or if you are doing the job yourself, ask your stockist

How do I use the Order Select service?

- · Check that the product you need has the Order Select Logo (🗸)
- · Carefully calculate the number of each item required, making an allowance for cutting the wastage, however, some may be mixed size packs and although you can order less than pack quantity, this will still be of mixed sizes but just less square metres than in a normal pack
- Give this to your local stockist who will place your order direct with Marshalls for delivery by express carrier

A premium is charged for this service, so it may be more economical to adjust the amount to the nearest full pack – especially if you are considering extending the project at a later date. Please note: If ordering a product to extend an existing project, it is likely that batch numbers will be different and the colour may vary. Please note, on some Project Pack products there may be a limit on the number of single size flags available to order via Order Select. The maximum number will not exceed the amount of that single size contained in the Project Pack.



Acknowledgements

We are grateful for the help of the following people and organisations in the production of this brochure:

Marshalls Register Members

All Seasons Landscapes, Stockton-on-Tees Tel: 01642 751565

Aura Landscapes Ltd, Southampton Tel: 02380 434231 www.auralandscapes.co.uk

Avantgardens North East Ltd, Hartlepool

Tel: 01429 296 148 www.avantnortheast.co.ul

Beesleys Landscapes, Cheshire Tel: 01606 550314 www.beesleysgardeningandlandscaping.info

Botanica Garden Design, Wirral Tel: 0151 632 0909

www.botanicagardendesign.com Branching Out Landscapes, Rochdale

Tel: 01706 364637 www.branchingout-landscapes.co.uk

Brighouse Driveways Ltd, Brighouse

www.brighousedrivewavsltd.co.uk

Brockstone Landscape Construction, Liverpool

Tel: 0151 427 7509

Central Drives, Rugeley, Staffs. Tel: 01889 621 378 www.centraldrives.co.uk

Chris Hallinan Patios and Driveways, Brighouse Tel: 01484 710750

www.patiosanddriveways.co.uk

Cotswold Paving & Landscaping Ltd, Gloucester Tel: 01452 864030 www.cotswoldpaving.co.uk

Crystalclear, Bolton Tel: 01942 840109 www.crystalclearideas.co.uk

D Plumridge Professional Driveway & Patio Construction, Sutton Tel: 020 8643 3007

www.dplumridge.co.uk Darren Smith Award Winning Driveways & Patios, Louth

Tel: 01507 451 355 www.darrensmithlouth.co.uk Exotic Landscapes Ltd, Bracknell Tel: 01344 311811 www.exoticlandscapes.co.uk

Garden TLC, Oldham www.gardentlc.net

Gary Pearce Landscapes Ltd, Shrewsbury Tel: 01694 731380 www.pearcelandscapes.net

Genesis Construction & Landscapes Ltd Bury St Edmunds Tel: 01284 386162

www.genesislandscapes.co.uk

Habitat Landscapes Ltd, Bedford Tel: 01525 860263 www.habitatlandscape.co.uk

James Bird Landscapes Ltd, Sheffield, 0114 258 9290 www.jabird.co.uk

Jason Clarke Classic Paving, Cheshire Tel: 0161 439 4211 www.jc-classicpaving.co.uk

J & W Construction, Aylesford www.jandw-construction.co.uk

Leading Landscapes Ltd, Essex Tel: 01375 676433

Lucas Construction Ltd, Bromley www.lucas-construction-ltd.co.uk

Mark S Nelson, Worcester Park Tel: 020 8337 3846 www.msnelsonlandscapes.wixsite.com/gardens

McPave North West, Preston Tel: 01772 837009 www.mcpavenw.co.uk

Milner Landscapes & Construction, Birmingham Tel: 01675 463738 www.milnerlandscapes.com

NW Paving and Landscaping Ltd, Cumbria www.nwpavingandlandscaping.com

Oakley Landscapes Ltd, East Sheen Tel: 020 8286 2491 www.oakleylandscapes.com

Pavex Ltd, Surrey Tel: 01737 350 111 www.pavex.co.uk

Perfect Paving Ltd, Keston Tel: 01689 873 333 www.perfectpaving.com

PJB Groundworks Ltd, Darlington Tel: 01325 246845 www.pjbgroundworks.co.uk

PWP Landscape Ltd, Otley Tel: 0113 256 3555 www.pwplandscape.co.uk

Sandstone Landscape Construction, York Tel: 01904 422 735 www.sandstonelandscapes.co.uk

Stow Construction & Landscaping Ltd, Galashiels Tel: 01896 750 254 www.stowconstruction.com

Tottington Landscaping Co, Heywood, Lancs Tel: 01706 360 084 www.tottingtonlandscapingbury.co.uk

Valley Driveways Ltd, Blackburr Tel: 01254 427 507 www.valleydriveways.co.uk

Westend Landscapes Ltd, Clevedon Tel: 01275 545 055 www.westendlandscapes.co.uk

Woodley Paving & Groundwork Ltd, Ware Tel: 01279 842 053 www.woodleypavingandgroundwork.co.uk

Yorkshire Pro-Paving & Groundworks Ltd, Otley Tel: 01943 463377 www.yorkshirepropaving.co.uk

The Marshalls Register of Accredited Landscape Contractors and Driveway Installers is a national network of independent professional installers, to find one in your area call 0345 820 5000

Calls may be monitored or recorded

Marshalls is also grateful to

Mr & Mrs Archer, Derbyshire

Mr & Mrs Adjepong, York

Mr & Mrs Atherton, Bolton

Mr & Mrs Bamber, Winsford Mr Benderow, Yarm

Mr & Mrs Burge, Kew

Mr Crade, Cockermouth Mr& Mrs Cromby, Liverpool

Mr & Mrs Crook, Oxted

Mr & Mrs Dagger, Woodplumpton

Mr & Mrs Done, Hale

Mr& Mrs Elder, Galashiels Mr & Mrs Forshaw, Altrincham

Mr & Mrs Freeman, Rugeley

Mr & Mrs Golding, Woodford

Mr & Mrs Goulding, Wynyard

Mr Greengrow, Lydney

Mr & Mrs Gourley, Rochdale

Mr & Mrs Hirst, Bacup

Ms C Hogan, Brighouse Mr Holt, Bury

0370 411 2233

Mr Howard, Pickering

Mr & Mrs Howson, Louth

Mrs Proctor, Boston Spa Mr Renshaw, Nottingham Mrs Rosier, Ascot

Mr & Mrs Scott, Hoylake

Mr & Mrs Sherratt, Bramhall

Mr&Mrs Smith, Drovlesden

Mr& Mrs Jupp, Chislehurst

Mr & Mrs Kendrick, Stokeslev

Mr & Mrs Leader, Chislehurst

Mr & Mrs Matthews, Highcliffe-on-Sea

Mr & Mrs Mumford, Bedfordshire

Mr & Mrs Lakha, Bromley

Dr & Mrs Martin, Durham

Mr & Mrs Nandra, Walsall

Mr & Mrs Neal, Cirencester

Mrs Nixon, Hartlepool

Mr& Mrs Paley, Otley

Mr & Mrs Thorpe, Cambridgeshire

Mr & Mrs Whorwell, Cheshire

Mr& Mrs Wright, Cheam

Mr& Mrs Wright, Preston

Mr & Mrs Wybrow, Grays, Essex Mr&Mrs Wynne, Peebles

How to contact Marshalls

(Calls may be monitored or recorded)

The Marshalls Customer Helpline is here to help you with all your product and brochure enquiries.

Marshalls Customer Helpline 0345 820 5000

To find an installer or a local stockist in your area call

0345 820 5000 The Marshalls Technical Advisory Service is here to help customers and installers with all aspects of installation technical advice

The Marshalls website is a comprehensive source of ideas, product information, and much, much more.

www.marshalls.co.uk/homeowners

Landscape House, Premier Way, Lowfields Business Park, Elland HX5 9HT



To find your nearest Marshalls stockist or find a recommended installer, call: 0345 820 5000 (Calls may be monitored or recorded)

For information, advice and useful tips to realise your own ideas, visit: www.marshalls.co.uk/homeowners

Landscape House, Premier Way, Lowfields Business Park, Elland HX5 9HT

A SUBSIDIARY OF MARSHALLS PLC © COPYRIGHT MARSHALLS 2017

